

Aldurazyme

CareFirst Prior Authorization Request

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-855-330-1720**. If you have questions regarding the prior authorization, please contact CVS Caremark at **1-888-877-0518**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to do_not_call@cvscaremark.com. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name:	Date:
Patient's ID:	Patient's Date of Birth:
Physician's Name:	
Specialty:	NPI#:
Physician Office Telephone:	Physician Office Fax:
Referring Provider Info: □ Same a	as Requesting Provider
Name:	•
Fax:	Phone:
Name:	Phone:
Fax:	Phone:
	bject to dosing limits in accordance with FDA-approved labeling, compendia, and/or evidence-based practice guidelines.
Required Demographic Informatio	<u>n:</u>
Patient Weight:	kg
Patient Height:	<i>cm</i>
What is the ICD-10 code?	

	where will this drug be administered? □ Ambulatory surgical, skip to Clinical Questions □ Off-campus Outpatient Hospital, Continue to B □ Physician office, skip to Clinical Questions	 ☐ Home infusion, skip to Clinical Questions ☐ On-campus Outpatient Hospital, Continue to B ☐ Pharmacy, skip to Clinical Questions 	
В.	Is the patient less than 14 years of age? ☐ Yes, skip to Clinical Criteria Questions ☐ No, Continue to C		
C.	Is this request to continue previously established treatment with the requested medication? <i>ACTION REQUIRED: If No, please attach supporting clinical documentation.</i> Yes - This is a continuation of an existing treatment., <i>Continue to D</i> No - This is a new therapy request (patient has not received requested medication in the last 6 months)., <i>skip to Clinical Criteria Questions</i>		
D.	Has the patient experienced an adverse event with the requested product that has not responded to conventional interventions (eg acetaminophen, steroids, diphenhydramine, fluids, other pre-medications or slowing of the infusion rate) or a severe adverse event (anaphylaxis, anaphylactoid reactions, myocardial infarction, thromboembolism, or seizures) during or immediately after an infusion? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation.</i> \square Yes, <i>skip to Clinical Criteria Questions</i> \square No, <i>Continue to E</i>		
E.	Does the patient have laboratory confirmed laronidase IgE antibodies? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation.</i> \square Yes, <i>skip to Clinical Criteria Questions</i> \square No, <i>Continue to F</i>		
F.	Is the patient medically unstable which may include respiratory, cardiovascular, or renal conditions that may limit the member's ability to tolerate a large volume or load or predispose the member to a severe adverse event that cannot be managed in an alternate setting without appropriate medical personnel and equipment? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation.</i> \square Yes, <i>skip to Clinical Criteria Questions</i> \square No, <i>Continue to G</i>		
G.	Does the patient have severe venous access issues that require the use of special interventions only available in the outpatient hospital setting? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation.</i> □ Yes, <i>skip to Clinical Criteria Questions</i> □ No, <i>Continue to H</i>		
Н.	Does the patient have significant behavioral issues and/or physical or cognitive impairment that would impact the safety of the infusion therapy AND the patient does not have access to a caregiver? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation.</i> \square Yes, <i>skip to Clinical Criteria Questions</i> \square No, <i>Continue to Leading</i> \square No.		
I.	Are <i>all</i> alternative infusion sites (pharmacy, physician office, ambulatory care, etc.) greater than 30 miles from the patient's home? <i>ACTION REQUIRED: If yes, please attach supporting documentation</i> . □ Yes, continue to Clinical Criteria Questions		

☐ No, continue to Clinical Criteria Questions

Clinical Criteria Questions:		
1. What is the diagnosis?		
☐ Mucopolysaccharidosis I (MPS I), Continue to 2		
☐ Other, please specify	Continue to 2	
 2. Is this a request for continuation of therapy with the re ☐ Yes, Continue to 3 ☐ No, Continue to 4 	quested medication?	
3. Has the patient experienced a clinically positive responsibilization, or slowing of disease progression? <i>ACTIO</i> a clinically positive response to therapy, which shall include progression. <i>ACTION REQUIRED</i> : Submit supporting Yes, <i>No Further Questions</i> No, <i>No Further Questions</i>	NREQUIRED : If Yes, attach chart note(s) documenting ude improvement, stabilization, or slowing of disease	
4. Was the diagnosis confirmed by enzyme assay demon activity and/or by genetic testing? <i>ACTION REQUIRED</i> and/or genetic testing results supporting diagnosis. <i>ACTI</i> ☐ Yes, <i>Continue to 5</i> ☐ No, <i>Continue to 5</i>	D : If Yes, attach alpha-L-iduronidase enzyme assay	
5. Which form of MPS I does the patient have?		
☐ The Hurler form (i.e., severe MPS I), No further questions		
☐ The Hurler-Scheie form (i.e., attenuated MPS I), No further questions		
☐ The Scheie form (Scheie syndrome; i.e., attenuated M	PS I), Continue to 6	
☐ Other, please specify	No further questions	
6. Does the patient have moderate to severe symptoms (e problems, corneal clouding, joint stiffness, valvular hear ☐ Yes, <i>No Further Questions</i> ☐ No, <i>No Further Questions</i>		
I attest that this information is accurate and true, a information is available for review if requested by (EVS Caremark or the benefit plan sponsor.	
Prescriber or Authorized Signature	Date (mm/dd/yy)	