



Neulasta and pegfilgrastim biosimilars

CareFirst Prior Authorization Request

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-855-330-1720.** If you have questions regarding the prior authorization, please contact CVS Caremark at **1-888-877-0518**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to do_not_call@cvscaremark.com. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name: _____ **Date:** _____
Patient's ID: _____ **Patient's Date of Birth:** _____
Physician's Name: _____
Specialty: _____ **NPI#:** _____
Physician Office Telephone: _____ **Physician Office Fax:** _____

Referring Provider Info: ☐ Same as Requesting Provider

Name: _____ **NPI#:** _____
Fax: _____ **Phone:** _____

Rendering Provider Info: ☐ Same as Referring Provider ☐ Same as Requesting Provider

Name: _____ **NPI#:** _____
Fax: _____ **Phone:** _____

Approvals may be subject to dosing limits in accordance with FDA-approved labeling, accepted compendia, and/or evidence-based practice guidelines.

Required Demographic Information:

Patient Weight: _____ *kg*

Patient Height: _____ *cm*

Please indicate the place of service for the requested drug:

- ☐ Ambulatory Surgical ☐ Home ☐ Off Campus Outpatient Hospital
☐ On Campus Outpatient Hospital ☐ Office ☐ Pharmacy

What is the ICD-10 code? _____

What product is being requested? ☐ Neulasta ☐ Neulasta Onpro ☐ Fulphila ☐ Fylnetra ☐ Nyvepria
☐ Udenyca ☐ Udenyca Onbody ☐ Ziextenzo

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Neulasta and pegfilgrastim biosimilars SGM 1931-A – 05/2026.

CVS Caremark Specialty Pharmacy • 2211 Sanders Road NBT-6 • Northbrook, IL 60062

Phone: 1-888-877-0518 • Fax: 1-855-330-1720 • www.caremark.com

Criteria Questions:

1. What is the patient's diagnosis?

- ☐ Neutropenia associated with myelosuppressive anti-cancer therapy, *Continue to 4*
☐ Stem cell transplantation-related indication, *No further questions*
☐ Hematopoietic subsyndrome of acute radiation syndrome, *Continue to 2*
☐ Hairy cell leukemia, *Continue to 3*
☐ Other, please specify. _____, *No further questions*

2. Will the requested drug be used for the treatment of radiation-induced myelosuppression following a radiological/nuclear incident?

- ☐ Yes, *No Further Questions*
☐ No, *No Further Questions*

3. Will the requested drug be used for treatment of neutropenic fever following chemotherapy?

- ☐ Yes, *No Further Questions*
☐ No, *No Further Questions*

4. Will the requested drug be used in combination with any other colony stimulating factor products within any chemotherapy cycle?

- ☐ Yes, *Continue to 5*
☐ No, *Continue to 5*

5. Will the patient be receiving chemotherapy at the same time as they receive radiation therapy?

- ☐ Yes, *Continue to 6*
☐ No, *Continue to 6*

6. Will the requested drug be administered with a weekly chemotherapy regimen?

- ☐ Yes, *Continue to 7*
☐ No, *Continue to 7*

7. For which of the following indications is the requested drug being prescribed?

- ☐ Primary prophylaxis (i.e., to be given 24 hours after first cycle of chemotherapy) of febrile neutropenia in a patient with a solid tumor or non-myeloid malignancy, *Continue to 8*
☐ Secondary prophylaxis of febrile neutropenia in a patient with a solid tumor or non-myeloid malignancies, *Continue to 15*
☐ Other, please specify. _____, *No further questions*

8. Has the patient recently received, is currently receiving, or will be receiving myelosuppressive anti-cancer therapy that is expected to result in greater than 20% incidence of febrile neutropenia? **ACTION REQUIRED:** If Yes, please submit documentation confirming the patient's diagnosis and the chemotherapeutic regimen.

- ☐ Yes, *No Further Questions*
☐ No, *Continue to 9*

9. Has the patient recently received, is currently receiving, or will be receiving myelosuppressive anti-cancer therapy that is expected to result in 10-20% incidence of febrile neutropenia? **ACTION REQUIRED:** If Yes, please submit documentation confirming the patient's diagnosis and the chemotherapeutic regimen.

- ☐ Yes, *Continue to 11*
☐ No, *Continue to 10*

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Neulasta and pegfilgrastim biosimilars SGM 1931-A – 05/2026.

CVS Caremark Specialty Pharmacy • 2211 Sanders Road NBT-6 • Northbrook, IL 60062

Phone: 1-888-877-0518 • Fax: 1-855-330-1720 • www.caremark.com

10. Has the patient recently received, is currently receiving, or will be receiving myelosuppressive anti-cancer therapy that is expected to result in less than 10% risk incidence of febrile neutropenia? **ACTION REQUIRED:** If Yes, please submit documentation confirming the patient's diagnosis and the chemotherapeutic regimen.

☐ Yes, *Continue to 12*

☐ No, *Continue to 12*

11. Is the patient considered to be at high risk for febrile neutropenia because of bone marrow compromise, co-morbidities, or other patient specific risk factors including any of the following? **ACTION REQUIRED:** If Yes, please submit documentation confirming the patient's risk factors.

☐ Yes, active infections, open wounds, or recent surgery **ACTION REQUIRED:** *Submit supporting documentation, No further questions*

☐ Yes, age greater than or equal to 65 years **ACTION REQUIRED:** *Submit supporting documentation, No further questions*

☐ Yes, bone marrow involvement by tumor producing cytopenias **ACTION REQUIRED:** *Submit supporting documentation, No further questions*

☐ Yes, previous chemotherapy or radiation therapy **ACTION REQUIRED:** *Submit supporting documentation, No further questions*

☐ Yes, poor nutritional status **ACTION REQUIRED:** *Submit supporting documentation, No further questions*

☐ Yes, poor performance status **ACTION REQUIRED:** *Submit supporting documentation, No further questions*

☐ Yes, previous episodes of FN **ACTION REQUIRED:** *Submit supporting documentation, No further questions*

☐ Yes, other serious co-morbidities, including renal dysfunction, liver dysfunction, HIV infection, cardiovascular disease. Please specify. _____ **ACTION REQUIRED:** *Submit supporting documentation, No further questions*

☐ Yes, persistent neutropenia **ACTION REQUIRED:** *Submit supporting documentation, No further questions*

☐ Yes, other bone marrow compromise, comorbidities, or patient specific risk factors not listed above. Please specify. _____ **ACTION REQUIRED:** *Submit supporting documentation, No further questions*

☐ No, the patient does not have any risk factors, *No further questions*

12. Please indicate which risk factor applies to the patient: **ACTION REQUIRED:** Please submit documentation confirming the patient's risk factors.

☐ Active infections, open wounds, or recent surgery **ACTION REQUIRED:** *Submit supporting documentation, Continue to 13*

☐ Age greater than or equal to 65 years **ACTION REQUIRED:** *Submit supporting documentation, Continue to 13*

☐ Bone marrow involvement by tumor producing cytopenias **ACTION REQUIRED:** *Submit supporting documentation, Continue to 13*

☐ Previous chemotherapy or radiation therapy **ACTION REQUIRED:** *Submit supporting documentation, Continue to 13*

☐ Poor nutritional status **ACTION REQUIRED:** *Submit supporting documentation, Continue to 13*

☐ Poor performance status **ACTION REQUIRED:** *Submit supporting documentation, Continue to 13*

☐ Previous episodes of FN **ACTION REQUIRED:** *Submit supporting documentation, Continue to 13*

☐ Other serious co-morbidities, including renal dysfunction, liver dysfunction, HIV infection, cardiovascular disease **ACTION REQUIRED:** *Submit supporting documentation, Continue to 13*

☐ Persistent neutropenia **ACTION REQUIRED:** *Submit supporting documentation, Continue to 13*

☐ Other, please specify. _____ **ACTION REQUIRED:** *Submit supporting documentation, Continue to 13*

☐ None of the above, *Continue to 13*

13. Does the patient have a second risk factor?

☐ Yes, *Continue to 14*

☐ No, *Continue to 14*

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Neulasta and pegfilgrastim biosimilars SGM 1931-A – 05/2026.

CVS Caremark Specialty Pharmacy • 2211 Sanders Road NBT-6 • Northbrook, IL 60062

Phone: 1-888-877-0518 • Fax: 1-855-330-1720 • www.caremark.com

14. Please indicate the patient's second risk factor: **ACTION REQUIRED:** Please submit documentation confirming the patient's risk factors.

☐ Active infections, open wounds, or recent surgery **ACTION REQUIRED:** Submit supporting documentation, No further questions

☐ Age greater than or equal to 65 years **ACTION REQUIRED:** Submit supporting documentation, No further questions

☐ Bone marrow involvement by tumor producing cytopenias **ACTION REQUIRED:** Submit supporting documentation, No further questions

☐ Previous chemotherapy or radiation therapy **ACTION REQUIRED:** Submit supporting documentation, No further questions

☐ Poor nutritional status **ACTION REQUIRED:** Submit supporting documentation, No further questions

☐ Poor performance status **ACTION REQUIRED:** Submit supporting documentation, No further questions

☐ Previous episodes of FN **ACTION REQUIRED:** Submit supporting documentation, No further questions

☐ Other serious co-morbidities, including renal dysfunction, liver dysfunction, HIV infection, cardiovascular disease. Please specify. _____ **ACTION REQUIRED:** Submit supporting documentation, No further questions

☐ Persistent neutropenia **ACTION REQUIRED:** Submit supporting documentation, No further questions

☐ Other, please specify. _____ **ACTION REQUIRED:** Submit supporting documentation, No further questions

☐ The patient does not have a second risk factor, No further questions

15. Has the patient experienced a febrile neutropenic complication or a dose-limiting neutropenic event (a nadir or day of treatment count impacting the planned dose of chemotherapy) from a prior cycle of similar chemotherapy?

☐ Yes, Continue to 16

☐ No, Continue to 16

16. For the planned chemotherapy cycle, will the patient receive the same dose and schedule of chemotherapy as the previous cycle (for which primary prophylaxis was not received)?

☐ Yes, No Further Questions

☐ No, No Further Questions

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Neulasta and pegfilgrastim biosimilars SGM 1931-A – 05/2026.

CVS Caremark Specialty Pharmacy • 2211 Sanders Road NBT-6 • Northbrook, IL 60062

Phone: 1-888-877-0518 • Fax: 1-855-330-1720 • www.caremark.com

Appendix^{10,14,15,16}

Appendix A: Selected Chemotherapy Regimens with an Incidence of Febrile Neutropenia of Greater than 20%

This list is not comprehensive; there are other agents/regimens that have an intermediate/high risk for development of febrile neutropenia.

Acute Lymphoblastic Leukemia

Select ALL regimens as directed by treatment protocol (see NCCN guidelines ALL)

Bladder Cancer

Dose dense MVAC (methotrexate, vinblastine, doxorubicin, cisplatin)

Bone Cancer

- VAIA (vincristine, doxorubicin, ifosfamide, and dactinomycin)
- VDC-IE (vincristine, doxorubicin or dactinomycin, and cyclophosphamide alternating with ifosfamide and etoposide)
- Cisplatin/doxorubicin
- VDC (cyclophosphamide, vincristine, doxorubicin or dactinomycin)
- VIDE (vincristine, ifosfamide, doxorubicin or dactinomycin, etoposide)

Breast Cancer

- Dose-dense AC (doxorubicin, cyclophosphamide) followed by dose-dense paclitaxel
- TAC (docetaxel, doxorubicin, cyclophosphamide)
- TC (docetaxel, cyclophosphamide)
- TCH (docetaxel, carboplatin, trastuzumab)

Head and Neck Squamous Cell Carcinoma

TPF (docetaxel, cisplatin, 5-fluorouracil)

Hodgkin Lymphoma

- Brentuximab vedotin + AVD (doxorubicin, vinblastine, dacarbazine)
- Nivolumab + AVD (doxorubicin, vinblastine, dacarbazine)
- Escalated BEACOPP (bleomycin, etoposide, doxorubicin, cyclophosphamide, vincristine, procarbazine, prednisone)
- BrECADD (brentuximab vedotin, etoposide, cyclophosphamide, doxorubicin, dacarbazine, dexamethasone)

Kidney Cancer

Doxorubicin/gemcitabine

Non-Hodgkin's Lymphoma

- CHP (cyclophosphamide, doxorubicin, prednisone) + brentuximab vedotin
- Dose-adjusted EPOCH (etoposide, prednisone, vincristine, cyclophosphamide, doxorubicin) ± rituximab
- ICE (ifosfamide, carboplatin, etoposide) ± rituximab
- Dose-dense CHOP-14 (cyclophosphamide, doxorubicin, vincristine, prednisone) ± rituximab
- CHOP (cyclophosphamide, doxorubicin, vincristine, prednisone)
- MINE (mesna, ifosfamide, mitoxantrone, etoposide) ± rituximab
- DHAP (dexamethasone, cisplatin, cytarabine) ± rituximab

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Neulasta and pegfilgrastim biosimilars SGM 1931-A – 05/2026.

CVS Caremark Specialty Pharmacy • 2211 Sanders Road NBT-6 • Northbrook, IL 60062

Phone: 1-888-877-0518 • Fax: 1-855-330-1720 • www.caremark.com

- ESHAP (etoposide, methylprednisolone, cisplatin, cytarabine) ± rituximab
- HyperCVAD ± rituximab (cyclophosphamide, vincristine, doxorubicin, dexamethasone ± rituximab)
- Pola-R-CHP (polatuzumab vedotin-piiq, rituximab, cyclophosphamide, doxorubicin, prednisone)

Melanoma

Dacarbazine-based combination with IL-2, interferon alpha (dacarbazine, cisplatin, vinblastine, IL-2, interferon alfa)

Multiple Myeloma

- VTD-PACE (dexamethasone/thalidomide/cisplatin/doxorubicin/cyclophosphamide/etoposide + bortezomib)
- DT-PACE (dexamethasone/thalidomide/cisplatin/doxorubicin/cyclophosphamide/etoposide)

Ovarian Cancer

- Topotecan ± bevacizumab
- Docetaxel
- Carboplatin/docetaxel

Soft Tissue Sarcoma

- MAID (mesna, doxorubicin, ifosfamide, dacarbazine)
- Doxorubicin
- Ifosfamide/doxorubicin

Small Cell Lung Cancer

Topotecan

Testicular Cancer

- Velp (vinblastine, ifosfamide, cisplatin)
- VIP (etoposide, ifosfamide, cisplatin)
- TIP (paclitaxel, ifosfamide, cisplatin)

Gestational Trophoblastic Neoplasia

- EMA/EP (etoposide, methotrexate, dactinomycin/etoposide, cisplatin)
- EP/EMA (etoposide, cisplatin/etoposide, methotrexate, dactinomycin)
- TP/TE (paclitaxel, cisplatin/paclitaxel, etoposide)
- BEP (bleomycin, etoposide, cisplatin)
- TIP (Paclitaxel, ifosfamide, cisplatin)
- VIP (etoposide, ifosfamide, cisplatin)
- ICE (ifosfamide, carboplatin, etoposide)

Wilms Tumor

- Regimen M (vincristine, dactinomycin, doxorubicin, cyclophosphamide, etoposide)
- Regimen I (vincristine, doxorubicin, cyclophosphamide, etoposide)
- Revised Regimen UH-1 (vincristine, doxorubicin, cyclophosphamide, carboplatin, etoposide)
- Revised Regimen UH-2 (vincristine, doxorubicin, cyclophosphamide, carboplatin, etoposide, irinotecan)

Applies to chemotherapy regimens with or without monoclonal antibodies (e.g., trastuzumab, rituximab)

Appendix B: Selected Chemotherapy Regimens with an Incidence of Febrile Neutropenia of 10% to 20%

This list is not comprehensive; there are other agents/regimens that have an intermediate/high risk for development of febrile neutropenia.

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Neulasta and pegfilgrastim biosimilars SGM 1931-A – 05/2026.

CVS Caremark Specialty Pharmacy • 2211 Sanders Road NBT-6 • Northbrook, IL 60062

Phone: 1-888-877-0518 • Fax: 1-855-330-1720 • www.caremark.com

Occult Primary – Adenocarcinoma

Gemcitabine/docetaxel

Breast Cancer

- Docetaxel ± trastuzumab
- AC (doxorubicin, cyclophosphamide) + sequential docetaxel (taxane portion only)
- AC + sequential docetaxel + trastuzumab
- Paclitaxel every 21 days ± trastuzumab
- Sacituzumab govitecan-hziy
- TC (docetaxel, cyclophosphamide)

Cervical Cancer

- Irinotecan
- Cisplatin/topotecan
- Paclitaxel/cisplatin ± bevacizumab
- Topotecan

Colorectal Cancer

FOLFIRINOX (fluorouracil, leucovorin, oxaliplatin, irinotecan)

Esophageal and Gastric Cancers

Irinotecan/cisplatin

Non-Hodgkin's Lymphomas

- GDP (gemcitabine, dexamethasone, cisplatin/carboplatin)
- GDP (gemcitabine, dexamethasone, cisplatin/carboplatin) + rituximab
- CHOP (cyclophosphamide, doxorubicin, vincristine, prednisone) including regimens with pegylated liposomal doxorubicin
- CHOP + rituximab (cyclophosphamide, doxorubicin, vincristine, prednisone, rituximab) including regimens with pegylated liposomal doxorubicin
- Bendamustine

Non-Small Cell Lung Cancer

- Cisplatin/paclitaxel
- Cisplatin/vinorelbine
- Cisplatin/docetaxel
- Cisplatin/etoposide
- Carboplatin/paclitaxel
- Docetaxel

Pancreatic Cancer

FOLFIRINOX (fluorouracil, leucovorin, oxaliplatin, irinotecan)

Prostate Cancer

Cabazitaxel

Small Cell Lung Cancer

Etoposide/carboplatin

Testicular Cancer

- BEP (bleomycin, etoposide, cisplatin)

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Neulasta and pegfilgrastim biosimilars SGM 1931-A – 05/2026.

CVS Caremark Specialty Pharmacy • 2211 Sanders Road NBT-6 • Northbrook, IL 60062

Phone: 1-888-877-0518 • Fax: 1-855-330-1720 • www.caremark.com

- Etoposide/cisplatin

Uterine Sarcoma

Docetaxel

Applies to chemotherapy regimens with or without monoclonal antibodies (e.g., trastuzumab, rituximab)

Appendix C: Patient Risk Factors

This list is not all-inclusive.

- Active infections, open wounds, or recent surgery
- Age greater than or equal to 65 years
- Bone marrow involvement by tumor producing cytopenias
- Previous chemotherapy or radiation therapy
- Poor nutritional status
- Poor performance status
- Previous episodes of FN
- Other serious co-morbidities, including renal dysfunction, liver dysfunction, HIV infection, cardiovascular disease
- Persistent neutropenia

I attest that this information is accurate and true, and that documentation supporting this information is available for review if requested by CVS Caremark or the benefit plan sponsor.

X_____

Prescriber or Authorized Signature

Date (mm/dd/yy)

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Neulasta and pegfilgrastim biosimilars SGM 1931-A – 05/2026.

CVS Caremark Specialty Pharmacy • 2211 Sanders Road NBT-6 • Northbrook, IL 60062

Phone: 1-888-877-0518 • Fax: 1-855-330-1720 • www.caremark.com