

Saphnelo

CareFirst Prior Authorization Request

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-855-330-1720**. If you have questions regarding the prior authorization, please contact CVS Caremark at **1-888-877-0518**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to do_not_call@cvscaremark.com. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name:	Date:
Patient's ID:	Patient's Date of Birth:
Physician's Name:	
Specialty:	NPI#:
Physician Office Telephone:	Physician Office Fax:
Referring Provider Info: □ Same	as Requesting Provider
Name:	NPI#:
Fax:	Phone:
Rendering Provider Info: ☐ Same Name:	e as Referring Provider Same as Requesting Provider NPI#:
Fax:	Phone:
	subject to dosing limits in accordance with FDA-approved labeling, d compendia, and/or evidence-based practice guidelines.
Required Demographic Informati	on:
Patient Weight:	kg
Patient Height:	cm
What is the ICD-10 code?	

Sit	e of Service Questions:
A.	Where will this drug be administered? ☐ Ambulatory surgical, skip to Clinical Criteria Questions ☐ Home infusion, skip to Clinical Criteria Questions ☐ Off-campus Outpatient Hospital, Continue to B ☐ On-campus Outpatient Hospital, Continue to B ☐ Physician office, skip to Clinical Criteria Questions ☐ Pharmacy, skip to Clinical Criteria Questions
B.	Is the patient less than 14 years of age? ☐ Yes, skip to Clinical Criteria Questions ☐ No, Continue to C
C.	Is this request to continue previously established treatment with the requested medication? <i>ACTION REQUIRED: If No, please attach supporting clinical documentation.</i> Yes - This is a continuation of an existing treatment., <i>Continue to D</i> No - This is a new therapy request (patient has not received requested medication in the last 6 months)., <i>skip to Clinical Criteria Questions</i>
D.	Has the patient experienced an adverse event with the requested product that has not responded to conventional interventions (eg acetaminophen, steroids, diphenhydramine, fluids, other pre-medications or slowing of the infusion rate) or a severe adverse event (anaphylaxis, anaphylactoid reactions, myocardial infarction, thromboembolism, or seizures) during or immediately after an infusion? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation.</i> □ Yes, <i>skip to Clinical Criteria Questions</i> □ No, <i>Continue to E</i>
E.	Is the patient medically unstable which may include respiratory, cardiovascular, or renal conditions that may limit the member's ability to tolerate a large volume or load or predispose the member to a severe adverse event that cannot be managed in an alternate setting without appropriate medical personnel and equipment? **ACTION REQUIRED: If Yes, please attach supporting clinical documentation.** Description: Descr
F.	Does the patient have severe venous access issues that require the use of special interventions only available in the outpatient hospital setting? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation.</i> \square Yes, <i>skip to Clinical Criteria Questions</i> \square No, <i>Continue to G</i>
G.	Does the patient have significant behavioral issues and/or physical or cognitive impairment that would impact the safety of the infusion therapy AND the patient does not have access to a caregiver? <i>ACTION REQUIRED: If Yes, please attach supporting clinical documentation.</i> □ Yes, <i>skip to Clinical Criteria Questions</i> □ No, <i>Continue to H</i>
Н.	Are <i>all</i> alternative infusion sites (pharmacy, physician office, ambulatory care, etc.) greater than 30 miles from the patient's home? <i>ACTION REQUIRED: If Yes, please attach supporting documentation</i> . Yes, continue to Clinical Criteria Questions No, continue to Clinical Criteria Questions

Criteria Questions: What is the patient's diagnosis? ☐ Active systemic lupus erythematosus (SLE) (*If checked, go to 2*) ☐ Other, please specify. (*If checked*, go to 2) Is the patient currently receiving treatment with the requested medication? \square Yes, Continue to 3 □ No, Continue to 5 Has the patient achieved or maintained a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms of the condition? ACTION REOUIRED: If Yes, attach medical records (e.g., chart notes, lab reports) documenting disease stability or improvement. ACTION REQUIRED: Submit supporting documentation ☐ Yes, Continue to 4 □ No, Continue to 4 Will the patient be using the requested drug in combination with other biologics? ☐ Yes, *No Further Questions* ☐ No, *No Further Ouestions* Does the patient have severe active central nervous system (CNS) lupus [including seizures that are attributed to CNS lupus, psychosis, organic brain syndrome, cerebritis, or CNS vasculitis requiring therapeutic intervention before initiation of the requested drug]? ☐ Yes. Continue to 6 □ No, Continue to 6 Will the patient be using the requested drug in combination with other biologics? ☐ Yes. Continue to 7 □ No, Continue to 7 Does the patient have severe active lupus nephritis? ☐ Yes, Continue to 8 □ No, Continue to 8 Prior to initiating therapy, is the patient positive for autoantibodies relevant to systemic lupus erythematosus (SLE) (e.g., ANA, anti-ds DNA, anti-Sm, antiphospholipid antibodies, complement proteins)? **ACTION REQUIRED**: If Yes, attach medical records (e.g., chart notes, lab reports) documenting the presence of autoantibodies relevant to SLE (e.g., ANA, anti-ds DNA, anti-Sm, antiphospholipid antibodies, complement proteins). ☐ Yes ACTION REQUIRED: Submit supporting documentation (If checked, go to 9) □ No (If checked, go to 9) ☐ Unknown (*If checked*, go to 9) Is the patient currently receiving a stable standard treatment regimen for systemic lupus erythematosus (SLE) with any of the following (alone or in combination)? ☐ Yes, glucocorticoids (e.g., prednisone, methylprednisolone, dexamethasone) (If checked, no further questions) ☐ Yes, antimalarials (e.g., hydroxychloroquine) (If checked, no further questions) ☐ Yes, immunosuppressives (e.g., azathioprine, methotrexate, mycophenolate, cyclosporine, cyclophosphamide) (If checked, no further questions)

□ No (*If checked, no further questions*)

rescriber or Authorized Signature	Date (mm/dd/yy)