

## Bendamustine-Treanda-Bendeka-Belrapzo-Vivimusta

## **CareFirst Prior Authorization Request**

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-855-330-1720**. If you have questions regarding the prior authorization, please contact CVS Caremark at **1-888-877-0518**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to do not call@cvscaremark.com. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name:		Date:
Patient's ID:		Patient's Date of Birth:
Physician's Name:		
<b>Specialty:</b>		NPI#:
Physician Office Telephone:		Physician Office Fax:
Referring Provider Info: ☐ Same as Re	questing Provid	er
Name:		NPI#:
Fax:		Phone:
Rendering Provider Info: ☐ Same as Re	ferring Provide	r □ Same as Requesting Provider
	_	NPI#:
i taille.		111 111 1
Fax: Approvals may be subject	to dosing limits	Phone:in accordance with FDA-approved labeling, idence-based practice guidelines.
Fax: Approvals may be subject accepted comp	to dosing limits	in accordance with FDA-approved labeling,
	to dosing limits endia, and/or ev	in accordance with FDA-approved labeling,
Fax:  Approvals may be subject accepted comp  Required Demographic Information:	to dosing limits endia, and/or ev kg	in accordance with FDA-approved labeling,
Fax:  Approvals may be subject accepted comp  Required Demographic Information:  Patient Weight:	to dosing limits endia, and/or ev kg cm	Phone: in accordance with FDA-approved labeling, idence-based practice guidelines.
Fax:	to dosing limits endia, and/or ev kg cm	Phone: in accordance with FDA-approved labeling, idence-based practice guidelines.
Fax:  Approvals may be subject accepted comp  Required Demographic Information:  Patient Weight:  Patient Height:  Please indicate the place of service for the	to dosing limits rendia, and/or evkgcm requested drug:  1 Home	Phone: in accordance with FDA-approved labeling, idence-based practice guidelines.
Fax:	to dosing limits rendia, and/or evkgcm requested drug:HomeOffice	in accordance with FDA-approved labeling, idence-based practice guidelines.   Off Campus Outpatient Hospital

## **Criteria Questions:**

1.	What is the diagnosis?
	Follicular lymphoma, Continue to 2
	Chronic lymphocytic leukemia (CLL) without chromosome 17p deletion or without TP53 mutation, Continue
	to 2 Small lymphocytic lymphoma (SLL) without chromosome 17p deletion or without TP53 mutation, <i>Continue to</i> 2
	Diffuse large B-cell lymphoma (DLBCL), Continue to 2
	Adult T-cell leukemia/lymphoma (ATLL), <i>Continue to 2</i> HIV-related B-cell lymphoma (HIV-related diffuse large B-cell lymphoma, primary effusion lymphoma, and human herpesvirus-8 (HHV8)-positive diffuse large B-cell lymphoma, plasmablastic lymphoma), <i>Continue to 2</i>
	Marginal zone lymphoma [nodal, gastric MALT (extranodal marginal zone lymphoma of the stomach), non-gastric MALT (nongastric extranodal marginal zone lymphoma), splenic], <i>Continue to 2</i>
	Mantle cell lymphoma (MCL), <i>Continue to 2</i> Peripheral T-cell Lymphoma (PTCL) [including the following subtypes: anaplastic large cell lymphoma, peripheral T-cell lymphoma not otherwise specified, angioimmunoblastic T-cell lymphoma, enteropathy associated T-cell lymphoma, monomorphic epitheliotropic intestinal T-cell lymphoma, nodal peripheral T-cell lymphoma with TFH phenotype, or follicular T-cell lymphoma], <i>Continue to 2</i>
	Waldenstrom's macroglobulinemia/lymphoplasmacytic lymphoma/Bing-Neel syndrome, Continue to 2
	Multiple myeloma, Continue to 2
	Classical Hodgkin lymphoma (cHL), Continue to 2
	Post-transplant lymphoproliferative disorders, Continue to 2
	Histologic transformation of indolent lymphomas to diffuse large B-cell lymphoma, Continue to 2
	High grade B-cell lymphoma, Continue to 2
	Hepatosplenic T-Cell Lymphoma, Continue to 2
	Breast implant associated anaplastic large cell lymphoma (ALCL), Continue to 2
	Systemic light chain amyloidosis, Continue to 2
	Nodular lymphocyte predominant Hodgkin lymphoma (NLPHL), Continue to 2
	Hematopoietic cell transplantation, Continue to 2
	Cold agglutinin disease, Continue to 2
	Other, please specify, Continue to 2
	Is this a request for continuation of therapy with the requested drug? Yes, <i>Continue to 3</i> No, <i>Continue to 4</i>
	Is there evidence of unacceptable toxicity or disease progression while on the current regimen? Yes, No Further Questions No, No Further Questions
4.	What is the diagnosis?
	Follicular lymphoma, <i>No further questions</i> Chronic lymphocytic leukemia (CLL) without chromosome 17p deletion or without TP53 mutation, <i>No further questions</i>

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Bendamustine-Treanda-Bendeka-Belrapzo-Vivimusta SGM – 07/2024.

CVS Caremark Specialty Pharmacy

Phone: 1-888-877-0518 • Fax: 1-855-330-1720 • www.caremark.com

	Small lymphocytic lymphoma (SLL) without chromosome 17p deletion or without TP53 mutation, $No\ further\ questions$
	Diffuse large B-cell lymphoma (DLBCL), Continue to 5
	Adult T-cell leukemia/lymphoma (ATLL), <i>Continue to 12</i> HIV-related B-cell lymphoma (HIV-related diffuse large B-cell lymphoma, primary effusion lymphoma, and human herpesvirus-8 (HHV8)-positive diffuse large B-cell lymphoma, plasmablastic lymphoma), <i>Continue to 5</i>
	Marginal zone lymphoma [nodal, gastric MALT (extranodal marginal zone lymphoma of the stomach), non-gastric MALT (nongastric extranodal marginal zone lymphoma), splenic], <i>Continue to 14</i>
	Mantle cell lymphoma (MCL), <i>Continue to 16</i> Peripheral T-cell Lymphoma (PTCL) [including the following subtypes: anaplastic large cell lymphoma, peripheral T-cell lymphoma not otherwise specified, angioimmunoblastic T-cell lymphoma, enteropathy associated T-cell lymphoma, monomorphic epitheliotropic intestinal T-cell lymphoma, nodal peripheral T-cell lymphoma with TFH phenotype, or follicular T-cell lymphoma], <i>Continue to 17</i>
	Waldenstrom's macroglobulinemia/lymphoplasmacytic lymphoma/Bing-Neel syndrome, Continue to 15
	Multiple myeloma, Continue to 22
	Classical Hodgkin lymphoma (cHL), Continue to 25
	Post-transplant lymphoproliferative disorders, Continue to 5
	Histologic transformation of indolent lymphomas to diffuse large B-cell lymphoma, Continue to 9
	High grade B-cell lymphoma, Continue to 5
	Hepatosplenic T-Cell Lymphoma, Continue to 19
	Breast implant associated anaplastic large cell lymphoma (ALCL), Continue to 27
	Systemic light chain amyloidosis, Continue to 31
	Nodular lymphocyte predominant Hodgkin lymphoma (NLPHL), Continue to 29
	Hematopoietic cell transplantation, Continue to 33
	Cold agglutinin disease, Continue to 35
	What is the place in therapy in which the requested drug will be used?
	First-line therapy, Continue to 6
	Subsequent therapy, Continue to 6
	Will the requested drug be used as a bridging option until CAR T-cell product is available? Yes, <i>Continue to 8</i> No, <i>Continue to 7</i>
	Is the patient a candidate for transplant? Yes, Continue to 8 No, Continue to 8
8.	What is the requested regimen?
	The requested drug will be used in combination with polatuzumab vedotin-piiq (Polivy), <i>No further questions</i>
	The requested drug will be used in combination with polatuzumab vedotin-piiq (Polivy) and rituximab, <i>No further questions</i>
	Other, please specify, No further questions

1 0	ion with polatuzumab vedotin-piiq (Polivy), Continue to 10
Continue to 10	ion with polatuzumab vedotin-piiq (Polivy) and rituximab,
☐ Other, please specify.	, Continue to 10
10. What is the place in therapy in which the red ☐ First-line therapy, <i>Continue to 11</i> ☐ Subsequent therapy, <i>Continue to 11</i>	quested drug will be used?
<ul> <li>11. Is the patient a candidate for transplant?</li> <li>☐ Yes, No Further Questions</li> <li>☐ No, No Further Questions</li> </ul>	
12. Will the requested drug be used as a single a ☐ Yes, <i>Continue to 13</i> ☐ No, <i>Continue to 13</i>	agent?
13. What is the place in therapy in which the red	quested drug will be used?
☐ First-line therapy, <i>No further questions</i>	
☐ Subsequent therapy, <i>No further questions</i>	
14. What is the requested regimen?	
☐ The requested drug will be used in combination	ion with rituximab, No further questions
☐ The requested drug will be used in combinati	ion with obinutuzumab (Gazyva), No further questions
☐ Other, please specify	
15. What is the requested regimen?	
☐ The requested drug will be used a single ager	nt. No further questions
☐ The requested drug will be used in combination	
☐ Other, please specify	-
16. What is the requested regimen?	
<ul> <li>The requested drug will be used in combinate</li> <li>The requested drug will be used as a compon further questions</li> </ul>	ion with rituximab, <i>No further questions</i> nent of RBAC500 (rituximab, bendamustine, and cytarabine), <i>No</i>
☐ Other, please specify	, No further questions
17. Will the requested drug be used as a single a ☐ Yes, Continue to 18 ☐ No, Continue to 18	ngent?
18. Will the requested drug be used as palliative ☐ Yes, <i>No Further Questions</i> ☐ No, <i>No Further Questions</i>	or subsequent therapy?

19. Will the requested drug be used as a single age ☐ Yes, Continue to 20 ☐ No, Continue to 20	ent?
20. What is the clinical setting in which the request ☐ Refractory disease, <i>Continue to 21</i>	-
☐ Other, please specify	, Continue to 21
21. Has the patient received TWO first-line therap  ☐ Yes, No Further Questions  ☐ No, No Further Questions	y regimens?
22. What is the requested regimen?	
☐ The requested drug will be used as a single age: ☐ The requested drug will be used in combination	nt, Continue to 23 a with lenalidomide (Revlimid) and dexamethasone, Continue to
23 ☐ The requested drug will be used in combination 23	with bortezomib (Velcade) and dexamethasone, Continue to
	with carfilzomib and dexamethasone, Continue to 23
☐ Other, please specify	, Continue to 23
23. What is the clinical setting in which the reques	sted drug will be used?
☐ Relapsed disease, Continue to 24	
☐ Progressive disease, Continue to 24	
☐ Other, please specify	, Continue to 24
24. Has the patient tried more than 3 prior therapie ☐ Yes, <i>No Further Questions</i> ☐ No, <i>No Further Questions</i>	es?
25. What is the requested regimen?	
☐ The requested drug will be used as a single ager	nt, Continue to 26
	n with brentuximab vedotin (Adcetris), Continue to 26
	with gemcitabine and vinorelbine, Continue to 26
☐ The requested drug will be used in combination	
☐ Other, please specify	
26. Will the requested drug be used as subsequent ☐ Yes, <i>No Further Questions</i> ☐ No, <i>No Further Questions</i>	therapy or palliative therapy?
27. Will the requested drug be used as a single age ☐ Yes, Continue to 28 ☐ No, Continue to 28	ent?

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Bendamustine-Treanda-Bendeka-Belrapzo-Vivimusta SGM – 07/2024.

CVS Caremark Specialty Pharmacy

• 2211 Sanders Road NBT-6

• Northbrook, IL 60062

Phone: 1-888-877-0518

• Fax: 1-855-330-1720

• www.caremark.com

☐ Relapsed disease, No further questions ☐ Refractory disease, No further questions ☐ Other disease, No further questions	
☐ Other, please specify	questions
33. Will the requested drug be used as conditioning for autologous to ☐ Yes, <i>Continue to 34</i> ☐ No, <i>Continue to 34</i>	ransplant?
34. Will the requested drug be used in combination with etoposide, o ☐ Yes, <i>No Further Questions</i> ☐ No, <i>No Further Questions</i>	cytarabine and melphalan?
35. Will the requested drug be used in combination with rituximab? ☐ Yes, <i>No Further Questions</i> ☐ No, <i>No Further Questions</i>	
attest that this information is accurate and true, and that do information is available for review if requested by CVS Caren	
Prescriber or Authorized Signature	