

Pralatrexate-Folotyn

CareFirst Prior Authorization Request

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-855-330-1720**. If you have questions regarding the prior authorization, please contact CVS Caremark at **1-888-877-0518**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to do not call@cvscaremark.com. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name:		Date:
Patient's ID:		Patient's Date of Birth:
Physician's Name:		
Specialty:		NPI#:
Physician Office Telephone:		Physician Office Fax:
Referring Provider Info: ☐ Same as Re	equesting Provi	der
Name:		NPI#:
Fax:		Phone:
Rendering Provider Info: ☐ Same as Ro	eferring Provid	er 🗆 Same as Requesting Provider
Name:		NPI#:
Fax:		Phone:
accepted comp Required Demographic Information:	pendia, and/or e	vidence-based practice guidelines.
Patient Weight:	kg	
Patient Height:		
Please indicate the place of service for the	requested drug	•
☐ Ambulatory Surgical	\square Home	Off Campus Outpatient Hospital
On Campus Outpatient Hospital	□ Office	\square Pharmacy
What is the ICD-10 code?		

Criteria Questions:
 1. Is this a request for continuation of therapy with the requested drug? ☐ Yes, Continue to 2 ☐ No, Continue to 4
2. What is the diagnosis? ☐ Peripheral T-cell lymphoma (PTCL) (including the following subtypes: anaplastic large cell lymphoma, peripheral T-cell lymphoma not otherwise specified, angioimmunoblastic T-cell lymphoma, enteropathy associated T-cell lymphoma, monomorphic epitheliotropic intestinal T-cell lymphoma, nodal peripheral T-cell lymphoma with T-follicular helper (TFH) phenotype, or follicular T-cell lymphoma), <i>Continue to 3</i> ☐ Adult T-cell leukemia/lymphoma (ATLL), <i>Continue to 3</i> ☐ Mycosis fungoides (MF), <i>Continue to 3</i> ☐ Sezary syndrome (SS), <i>Continue to 3</i> ☐ Cutaneous anaplastic large cell lymphoma (ALCL), <i>Continue to 3</i>
☐ Extranodal NK/T-cell lymphoma, <i>Continue to 3</i>
☐ Hepatosplenic T-cell lymphoma, <i>Continue to 3</i>
☐ Breast implant-associated anaplastic large cell lymphoma (ALCL), <i>Continue to 3</i>
☐ Other, please specify, Continue to 3
 3. Is there evidence of unacceptable toxicity or disease progression while on the current regimen? Yes, <i>No Further Questions</i> No, <i>No Further Questions</i> 4. What is the diagnosis? Peripheral T-cell lymphoma (PTCL) (including the following subtypes: anaplastic large cell lymphoma, peripheral T-cell lymphoma not otherwise specified, angioimmunoblastic T-cell lymphoma, enteropathy associated T-cell lymphoma, monomorphic epitheliotropic intestinal T-cell lymphoma, nodal peripheral T-cell lymphoma with T-follicular helper (TFH) phenotype, or follicular T-cell lymphoma), <i>Continue to 5</i> Adult T-cell leukemia/lymphoma (ATLL), <i>Continue to 7</i> Mycosis fungoides (MF), <i>No further questions</i> Sezary syndrome (SS), <i>No further questions</i> Cutaneous anaplastic large cell lymphoma (ALCL), <i>Continue to 9</i>
☐ Extranodal NK/T-cell lymphoma, Continue to 10
☐ Hepatosplenic T-cell lymphoma, Continue to 14
 □ Breast implant-associated anaplastic large cell lymphoma (ALCL), Continue to 16 5. Will the requested drug be used as a single agent? □ Yes, Continue to 6 □ No, Continue to 6
6. What is the clinical setting in which the requested drug will be used? ☐ Relapsed disease, No further questions ☐ Refractory disease, No further questions ☐ The requested drug will be used for initial palliative therapy, No further questions ☐ Other, please specify, No further questions
7. Will the requested drug be used as a single agent?

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Pralatrexate-Folotyn SGM 1702-A – 11/2024.

CVS Caremark Specialty Pharmacy

• 2211 Sanders Road NBT-6

• Northbrook, IL 60062

Phone: 1-888-877-0518

• Fax: 1-855-330-1720

• www.caremark.com

Prescriber or Authorized Signature	Date (mm/dd/yy)
<u> </u>	
attest that this information is accurate and true, information is available for review if requested by	• • • • • • • • • • • • • • • • • • • •
☐ Subsequent therapy, <i>No further questions</i>	
☐ First-line therapy, No further questions	
17. What is the place in therapy in which the requested	d drug will be used?
☐ Yes, Continue to 17 ☐ No, Continue to 17	
16. Will the requested drug be used as a single agent?	
lines, No further questions	
15. How many previous lines of chemotherapy has the	e patient received?
_ 1.0, Commune to 10	
☐ Yes, Continue to 15 ☐ No, Continue to 15	
14. Will the requested drug be used as a single agent?	
□ No, No Further Questions	
☐ Yes, No Further Questions	
13. Does the patient have a contraindication to asparag	ginase-based therapy (e.g., pegaspargase)?
\square No, Continue to $\overline{13}$	
12. Has the patient had an inadequate response to aspa ☐ Yes, <i>No Further Questions</i>	araginase-based therapy (e.g., pegaspargase)?
☐ Refractory disease, <i>Continue to 12</i> ☐ Other, please specify.	Continue to 12
Relapsed disease, Continue to 12	
11. What is the clinical setting in which the requested	drug will be used?
11 377 (1.4 11.1 (2.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1	1 211 10
☐ No, Continue to 11	
10. Will the requested drug be used as a single agent? ☐ Yes, <i>Continue to 11</i>	
☐ Yes, No Further Questions ☐ No, No Further Questions	
9. Will the requested drug be used as a single agent?	
☐ Subsequent therapy, <i>No further questions</i>	
☐ First-line therapy, No further questions	
8. What is the place in therapy in which the requested	drug will be used?
☐ No, Continue to 8	
☐ Yes, Continue to 8	

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720 Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Pralatrexate-Folotyn SGM 1702-A – 11/2024.

CVS Caremark Specialty Pharmacy

Phone: 1-888-877-0518 • Fax: 1-855-330-1720 • www.caremark.com