# **QUANTITY LIMIT CRITERIA**

DRUG CLASS CORTICOSTEROID ORAL INHALATION

BRAND NAME (generic)

ALVESCO (ciclesonide)

ARMONAIR DIGIHALER (fluticasone propionate)

ARNUITY ELLIPTA (fluticasone furoate)

ASMANEX HFA (mometasone furoate)

ASMANEX TWISTHALER (mometasone furoate)

FLOVENT DISKUS (fluticasone propionate)

FLOVENT HFA (fluticasone propionate)

PULMICORT FLEXHALER (budesonide)

PULMICORT RESPULES (budesonide)

QVAR REDIHALER (beclomethasone)

Status: CVS Caremark® Criteria

Type: Quantity Limit

# **POLICY**

# FDA-APPROVED INDICATIONS Alvesco

Corticosteroid Oral Inhalation Limit Policy 158-H 10-2023.docx

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Caremark.

©2023 CVS Health and/or its affiliates. All rights reserved. 106-58428I 021423

Alvesco is indicated for the maintenance treatment of asthma as prophylactic therapy in adult and pediatric patients 12 years of age and older.

Limitations of Use:

Alvesco is not indicated for the relief of acute bronchospasm.

Alvesco is not indicated for children under 12 years of age.

### ArmonAir Digihaler

ArmonAir Digihaler is indicated for the maintenance treatment of asthma as prophylactic therapy in patients 12 years of age and older.

Limitations of Use:

ArmonAir Digihaler is NOT indicated for the relief of acute bronchospasm.

# **Arnuity Ellipta**

Arnuity Ellipta is indicated for the maintenance treatment of asthma in adult and pediatric patients aged 5 years and older.

Limitations of Use

Arnuity Ellipta is NOT indicated for the relief of acute bronchospasm.

#### **Asmanex HFA**

Asmanex HFA is indicated for the maintenance treatment of asthma as prophylactic therapy in patients 5 years of age and older.

Important Limitations of Use

Asmanex HFA is NOT indicated for the relief of acute bronchospasm.

#### **Asmanex Twisthaler**

Asmanex Twisthaler is indicated for the maintenance treatment of asthma as prophylactic therapy in adult and pediatric patients 4 years of age and older.

Limitations of Use

Asmanex Twisthaler is not indicated for the relief of acute bronchospasm.

Asmanex Twisthaler is not indicated in children less than 4 years of age.

#### **Flovent Diskus**

Flovent Diskus is indicated for the maintenance treatment of asthma as prophylactic therapy in patients aged 4 years and older.

Important Limitation of Use

Flovent Diskus is NOT indicated for the relief of acute bronchospasm.

#### Flovent HFA

Flovent HFA is indicated for the maintenance treatment of asthma as prophylactic therapy in adult and pediatric patients aged 4 years and older.

Limitations of Use

Flovent HFA is not indicated for the relief of acute bronchospasm.

## **Pulmicort Flexhaler**

Pulmicort Flexhaler is indicated for the maintenance treatment of asthma as prophylactic therapy in patients six years of age or older.

Limitations of Use:

Pulmicort Flexhaler is NOT indicated for the relief of acute bronchospasm.

Corticosteroid Oral Inhalation Limit Policy 158-H 10-2023.docx

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Caremark.

©2023 CVS Health and/or its affiliates. All rights reserved. 106-58428I 021423

### **Pulmicort Respules**

Pulmicort Respules is indicated for the maintenance treatment of asthma and as prophylactic therapy in children 12 months to 8 years of age.

### Limitations of Use:

Pulmicort Respules is NOT indicated for the relief of acute bronchospasm.

#### **QVAR** Redihaler

QVAR Redihaler is indicated in the maintenance treatment of asthma as prophylactic therapy in adults and pediatric patients 4 years of age and older.

#### Limitations of Use:

Qvar Redihaler is not indicated for the relief of acute bronchospasm.

### **INITIAL LIMIT QUANTITY**

# Limits do not accumulate together; patient is allowed the maximum limit for each drug and strength

PLEASE NOTE: Since manufacturer package sizes may vary, it is the discretion of the dispensing pharmacy to fill quantities per package size up to these quantity limits. In such cases the filling limit and day supply may be less than what is indicated.

Medication**	Starting Dose	Maximum** Daily Dose	Package Size	1 Month Limit* 3 Month Limit*
Alvesco 80 mcg** (ciclesonide)	1-3 inhalations twice daily	6 inhalations**	60 inhalations per 6.1 gm canister	3 packages (6.1 gm each) / 25 days 9 packages (6.1 gm each) / 75 days
Alvesco 160 mcg (ciclesonide)	1-2 inhalations twice daily	4 inhalations (640 mcg)	60 inhalations per 6.1 gm canister	2 packages (6.1 gm each) / 25 days 6 packages (6.1 gm each) / 75 days
ArmonAir Digihaler 55 mcg** (fluticasone propionate)	1 inhalation twice daily	2 inhalations**	60 inhalations per inhaler	1 package / 25 days 3 packages / 75 days
ArmonAir Digihaler 113 mcg** (fluticasone propionate)	1 inhalation twice daily	2 inhalations**	60 inhalations per inhaler	1 package / 25 days 3 packages / 75 days
ArmonAir Digihaler 232 mcg (fluticasone propionate)	1 inhalation twice daily	2 inhalations (464 mcg)	60 inhalations per inhaler	1 package / 25 days 3 packages / 75 days
Arnuity Ellipta 50 mcg (fluticasone furoate)	1 inhalation once daily	1 inhalation	30 blisters per inhaler	1 package (30 blisters) / 25 days 3 packages (30 blisters each) / 75 days
Arnuity Ellipta 100 mcg** (fluticasone furoate)	1 inhalation once daily	1 inhalation**	30 blisters per inhaler	1 package (30 blisters) / 25 days 3 packages (30 blisters each) / 75 days
Arnuity Ellipta 200 mcg (fluticasone furoate)	1 inhalation once daily	1 inhalation (200 mcg)	30 blisters per inhaler	1 package (30 blisters) / 25 days 3 packages (30 blisters each) / 75 days
Asmanex HFA 50 mcg (mometasone furoate)	2 inhalations twice daily	4 inhalations	120 inhalations per 13 gm canister	1 package (13 gm each) / 25 days 3 packages (13 gm each) / 75 days
Asmanex HFA 100 mcg** (mometasone furoate)	2 inhalations twice daily	4 inhalations**	120 inhalations per 13 gm canister	1 package (13 gm each) / 25 days 3 packages (13 gm each) / 75 days

Corticosteroid Oral Inhalation Limit Policy 158-H 10-2023.docx

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Caremark.

©2023 CVS Health and/or its affiliates. All rights reserved. 106-58428I 021423

A	O imbalations	4 inhalations	400 inhalations	A				
Asmanex HFA	2 inhalations twice daily	4 inhalations (800 mcg)	120 inhalations per 13 gm canister	1 package (13 gm each) / 25 days				
200 mcg	twice daily	(600 meg)	per 13 gill carlister	3 packages (13 gm each) / 75 days				
(mometasone furoate)	4 :	0:	00 :	0 1 /05 1				
Asmanex Twisthaler	1 inhalation	2 inhalations**	30 inhalation units	2 packages / 25 days				
110 mcg**	once daily		per package	6 packages / 75 days				
(mometasone furoate)								
Asmanex Twisthaler	1-2 inhalations	4 inhalations	30 inhalation units	4 packages / 25 days				
220 mcg	once to twice	(880 mcg)	per package	12 packages / 75 days				
(mometasone furoate)	daily		60 inhalation units	2 packages / 25 days				
			per package	6 packages / 75 days				
			120 inhalation units	1 package / 25 days				
			per package	3 packages / 75 days				
Flovent Diskus	1-3 inhalations	6 inhalations**	60 blisters	3 packages (60 blisters each) / 25 days				
50 mcg**	twice daily		per device	9 packages (60 blisters each) / 75 days				
(fluticasone propionate)								
Flovent Diskus	1-4 inhalations	8 inhalations**	60 blisters	4 packages (60 blisters each) / 25 days				
100 mcg**	twice daily		per device	12 packages (60 blisters each) / 75 days				
(fluticasone propionate)								
Flovent Diskus	1-4 inhalations	8 inhalations	60 blisters	4 packages (60 blisters each) / 25 days				
250 mcg	twice daily	(2000 mcg)	per device	12 packages (60 blisters each) / 75 days				
(fluticasone propionate)								
Flovent HFA	2-4 inhalations	8 inhalations**	120 inhalations	2 packages (10.6 gm each) / 25 days				
44 mcg**	twice daily		per 10.6 gm canister	6 packages (10.6 gm each) / 75 days				
(fluticasone propionate)								
Flovent HFA	1-3 inhalations	6 inhalations**	120 inhalations	2 packages (12 gm each) / 25 days				
110 mcg**	twice daily		per 12 gm canister	6 packages (12 gm each) / 75 days				
(fluticasone propionate)								
Flovent HFA	1-4 inhalations	8 inhalations	120 inhalations	2 packages (12 gm each) / 25 days				
220 mcg	twice daily	(1,760 mcg)	per 12 gm canister	6 packages (12 gm each) / 75 days				
(fluticasone propionate)								
Pulmicort Flexhaler	2-3 inhalations	6 inhalations**	60 inhalations	3 packages / 25 days				
90 mcg**	twice daily		per device	9 packages / 75 days				
(budesonide)								
Pulmicort Flexhaler	1-4 inhalations	8 inhalations	120 inhalations	2 packages / 25 days				
180 mcg	twice daily	(1440 mcg)	per device	6 packages / 75 days				
(budesonide)				,				
Pulmicort Respules	nebulization of	3 respules**	30 respules	3 packages (90 respules x 2 mL) / 25 days				
0.25 mg**	1-2 respules		(2 mL each)	9 packages (270 respules x 2 mL) / 75				
(budesonide)	(2-4 mL) daily		per carton	days				
Pulmicort Respules	nebulization of	2 respules	30 respules	2 packages (60 respules x 2 mL) / 25 days				
0.5 mg	1-2 respules	(1 mg)	(2 mL each)	6 packages (180 respules x 2 mL) / 75				
(budesonide)	(2-4 mL) daily		per carton	days				
Pulmicort Respules	nebulization of	1 respule	30 respules	1 package (30 respules x 2 mL) / 25 days				
1 mg	1 respule	(1 mg)	(2 mL each)	3 packages (90 respules x 2 mL) / 75 days				
(budesonide)	(2 mL) daily		per carton	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
QVAR Redihaler	1-3 inhalations	6 inhalations**	120 inhalations	2 packages (10.6 gm each) / 25 days				
40 mcg**	twice daily		per 10.6 gm canister	6 packages (10.6 gm each) / 75 days				
(beclomethasone)				, 5 ( ::: g ::::://// 2 22/2				
QVAR Redihaler	1-4 inhalations	8 inhalations	120 inhalations	2 packages (10.6 gm each) / 25 days				
80 mcg	twice daily	(640 mcg)	per 10.6 gm canister	6 packages (10.6 gm each) / 75 days				
(beclomethasone)		J	_					
	*The duration of 25 days is used for a 30-day fill period and 75 days is used for a 90-day fill period to allow time for refill processing.							
**I Itiliza higher strangth available								

\*\*Utilize higher strength available.

Corticosteroid Oral Inhalation Limit Policy 158-H 10-2023.docx

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Caremark.

#### **REFERENCES**

- 1. Alvesco [package insert]. Zug, 6300 Switzerland: Covis Pharma; February 2023.
- 2. ArmonAir Digihaler [package insert]. Parsippany, NJ: Teva Pharmaceuticals USA, Inc.; September 2022.
- 3. Arnuity Ellipta [package insert]. Durham, NC: GlaxoSmithKline; March 2023.
- 4. Asmanex HFA [package insert]. Jersey City, NJ: Organon LLC; June 2021.
- 5. Asmanex Twisthaler [package insert]. Jersey City, NJ: Organon LLC; June 2021.
- 6. Flovent Diskus [package insert]. Research Triangle Park, NC: GlaxoSmithKline; June 2022.
- 7. Flovent HFA [package insert]. Research Triangle Park, NC: GlaxoSmithKline; August 2021.
- 8. Pulmicort Flexhaler [package insert]. Montgomery, AL: H2-Pharma, LLC; September 2023.
- 9. Pulmicort Respules [package insert]. Wilmington, DE: AstraZeneca Pharmaceuticals LP; October 2019.
- 10. QVAR Redihaler [package insert]. Parsippany, NJ: Teva Pharmaceuticals USA; September 2022.

Corticosteroid Oral Inhalation Limit Policy 158-H 10-2023.docx

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Caremark.