Г

PA Request Criteria





230282

00-0000000000

This fax machine is located in a secure location as required by HIPAA regulations. Fax complete signed and dated forms to CVS/Caremark at . Please contact CVS/Caremark at 1-888-413-2723 with questions regarding the prior authorization process. When conditions are met, we will authorize the coverage of the medication.

Patient Name: Patient ID: Patient Group No:			Date: Patient Date Of Birth:		5/13/2025 Physician Name: Specialty: Physician Office Telephone:				
		NPI#:	Patient Phone:	Spec					
Physician Office Address: Drug Name (specify drug)									
Dru	q Name (specify drug)	_							
Patient ID: Patient Group No: Physician Office Address: Drug Name (specify drug) Quantity: Route of Administration: Diagnosis: Comments: Please check the appropriat 1. Will the requested drug Ebglyss, Nemluvio) or ta same indication? 2. What is the diagnosis? Atopic dermatitis, mod Other, please specify 3. Is the patient 12 years of the same indicated drug be allergist/immunologist?			ngth:						
		_ Expected Length of Therapy	:						
Dia	gnosis:	ICD Code:							
Con	nments:								
1.	Will the requested drug Ebglyss, Nemluvio) or to same indication?	be used in combination with a	le question. any other biologic (e.g., Dupixent, Cibinqo, Opzelura, Rinvoq) for the	Y		N			
	Atopic dermatitis, mo	derate-to-severe (If checked,	go to 3)						
	Other, please specify	(If checked, no further question	ons)						
3.	Is the patient 12 years of	of age or older?		Y		N			
4.		eing prescribed by or in consu	ltation with a dermatologist or	Υ		N			
5.	Is this request for contin	nuation of therapy with the req	uested drug?	Υ		N			
6.	patient assistance prog	ram?	hrough samples or a manufacture	r's					
	Yes (If checked, go to	0 8)			Ш				
	No (If checked, go to	7)							
	Unknown (If checked	, go to 8)							
7.	disease activity (i.e., cle atopic dermatitis (e.g., r requested drug? ACTIC record documentation s	ear or almost clear skin) or impedness, itching, oozing/crustir	nical response as evidenced by low provement in signs and symptoms ng) since starting treatment with the attach chart note(s) or medical pronse. tation	of		N			

8. 9.	Has the patient received in the past year or is currently receiving a biologic (e.g., Dupixent, Ebglyss, Nemluvio) or systemic targeted synthetic drug (e.g., Cibinqo, Rinvoq) indicated for moderate-to-severe atopic dermatitis (excluding receiving the drug via samples or a manufacturer's patient assistance program)? ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried. ACTION REQUIRED: Submit supporting documentation What is the percentage of body surface area (BSA) affected prior to initiation of the	Y		N	
	requested drug? Please indicate BSA percentage. ACTION REQUIRED: Please attach				
	chart note(s) or medical record documentation of body surface area affected.				
	Less than 10% of BSA (If checked, go to 10)				
	Greater than or equal to 10% of BSA (If checked, go to 11)				
	ACTION REQUIRED: Submit supporting documentation				
10.	Are crucial body areas (e.g., hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) affected? ACTION REQUIRED: If Yes, please attach chart note(s) or medical record documentation of affected area(s). ACTION REQUIRED: Submit supporting documentation	Y		N	
11.	Has the patient had an inadequate treatment response with a medium potency to superhigh potency topical corticosteroid in the past year?	Υ		N	
12.	Is the information on the active ingredient, strength, and dosage form of the medium potency to super-high potency topical steroid the patient had an inadequate treatment response to in the past year provided? ACTION REQUIRED: Please attach chart note(s), medical record documentation, or claims history supporting previous medications tried including drug name, dosage form, strength, and response to therapy.				
	Yes (If checked, go to 20)				
	No (If checked, go to 13)				
	ACTION REQUIRED: Submit supporting documentation				
13.	Has the patient had an inadequate treatment response with a topical calcineurin inhibitor in the past year? ACTION REQUIRED: If Yes, please attach chart note(s), medical record documentation, or claims history supporting previous medications tried, including response to therapy.	Y		N	
	ACTION REQUIRED: Submit supporting documentation		_		
14.	Has the patient had an inadequate treatment response with a topical Janus kinase (JAK) inhibitor in the past year? ACTION REQUIRED: If Yes, please attach chart note(s), medical record documentation, or claims history supporting previous medications tried, including response to therapy.	Y		N	
4-	ACTION REQUIRED: Submit supporting documentation	.,			
15.	Has the patient had an inadequate treatment response with a topical phosphodiesterase-4 (PDE-4) inhibitor in the past year? ACTION REQUIRED: If Yes, please attach chart note(s), medical record documentation, or claims history supporting previous medications tried, including response to therapy. ACTION REQUIRED: Submit supporting documentation	Y	ш	N	
16.	Is the use of medium potency to super-high potency topical corticosteroids not advisable for the patient (e.g., due to contraindications, prior intolerances)? ACTION REQUIRED: If Yes, please attach chart note(s) or medical record documentation of clinical reason to avoid therapy.	Y		N	ш
47	ACTION REQUIRED: Submit supporting documentation	v			
17.	Is the use of topical calcineurin inhibitors not advisable for the patient (e.g., due to contraindications, prior intolerances)? ACTION REQUIRED: Please attach chart note(s) or medical record documentation of clinical reason to avoid therapy. ACTION REQUIRED:	Υ	Ш	N	
4.0	Submit supporting documentation		_		
18.	Is the use of topical Janus kinase (JAK) inhibitors not advisable for the patient (e.g., due to contraindications, prior intolerances)? ACTION REQUIRED: Please attach chart note(s) or medical record documentation of clinical reason to avoid therapy. ACTION REQUIRED:	Υ	Ш	N	
	Submit supporting documentation				

19.	Is the use of topical phsophodiesterase-4 (PDE-4) inhibitors not advisable for the patient (e.g., due to contraindications, prior intolerances)? ACTION REQUIRED: Please attach chart note(s) or medical record documentation of clinical reason to avoid therapy. ACTION REQUIRED: Submit supporting documentation		N	
20.	Is a loading dose prescribed?	Υ	N	
21.	Does the prescribed loading dose exceed a dose of 600 mg?	Y	N	
and tr	st that the medication requested is medically necessary for this patient. I further attest that the information ue, and that the documentation supporting this information is available for review if requested by the clair sponsor, or, if applicable a state or federal regulatory agency.			

Prescriber (Or Authorized) Signature and Date

Now you can get responses to drug PAs immediately and securely online—without faxes, phone calls, or waiting. How? With electronic prior authorization (ePA)! For more information and to register, go to www.caremark.com/epa.