



00-000000000



250664

This fax machine is located in a secure location as required by HIPAA regulations. Fax complete signed and dated forms to CVS/Caremark at . Please contact CVS/Caremark at 1-888-413-2723 with questions regarding the prior authorization process. When conditions are met, we will authorize the coverage of the medication.

Patient Name: _____ **Date:** 3/16/2026
Patient ID: _____ **Patient Date Of Birth:** _____
Patient Group No: _____ **Patient Phone:** _____ **Physician Name:** _____
 _____ **NPI#:** _____ **Specialty:** _____
 _____ **Physician Office Telephone:** _____

Physician Office Address: _____

Drug Name (specify drug) _____

Quantity: _____ **Frequency:** _____ **Strength:** _____

Route of Administration: _____ **Expected Length of Therapy:** _____

Diagnosis: _____ **ICD Code:** _____

Comments: _____

Please check the appropriate answer for each applicable question.

1. Will the requested drug or a biosimilar of the requested drug be used in combination with any other biologic (e.g., Humira) or targeted synthetic drug (e.g., Otezla, Xeljanz) for the same indication? Y N

2. Has the patient ever received (including current utilizers) a biologic (e.g., Humira) or targeted synthetic drug (e.g., Olumiant, Xeljanz) associated with an increased risk of tuberculosis? Y N

3. Has the patient had a tuberculosis (TB) test (e.g., tuberculosis skin test [TST], interferon-release assay [IGRA]) within 12 months of initiating therapy? Y N

4. What were the results of the tuberculosis (TB) test?
 - Positive for TB (If checked, go to 5)
 - Negative for TB (If checked, go to 6)
 - Unknown (If checked, no further questions)

5. Which of the following applies to the patient?
 - Patient has latent TB and treatment for latent TB has been initiated (If checked, go to 6)
 - Patient has latent TB and treatment for latent TB has been completed (If checked, go to 6)
 - Patient has latent TB and treatment for latent TB has not been initiated (If checked, no further questions)
 - Patient has active TB (If checked, no further questions)

6. What is the diagnosis?
 - Plaque psoriasis (If checked, go to 10)
 - Psoriatic arthritis WITH co-existent plaque psoriasis (If checked, go to 7)
 - Psoriatic arthritis (If checked, go to 25)
 - Crohn's disease (If checked, go to 40)
 - Ulcerative colitis (If checked, go to 46)
 - Immune checkpoint inhibitor-related diarrhea or colitis (If checked, go to 52)

Other, please specify. (If checked, no further questions)

7. Is the patient 6 years of age or older? Y N
8. Is the requested drug or a biosimilar of the requested drug being prescribed by or in consultation with a rheumatologist or dermatologist? Y N
9. What is the primary diagnosis being treated?
Psoriatic arthritis (If checked, go to 27)
Plaque psoriasis (If checked, go to 12)
10. Is the patient 6 years of age or older? Y N
11. Is the requested drug or a biosimilar of the requested drug being prescribed by or in consultation with a dermatologist? Y N
12. Has the patient been diagnosed with moderate to severe plaque psoriasis? Y N
13. Is this request for continuation of therapy with the requested drug or a biosimilar of the requested drug? Y N
14. Is the patient currently receiving the requested drug or a biosimilar of the requested drug through samples or a manufacturer's patient assistance program?
Yes (If checked, go to 18)
No (If checked, go to 15)
Unknown (If checked, go to 18)
15. Has the patient achieved or maintained a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms of the condition since starting treatment with the requested drug or a biosimilar of the requested drug? Y N
16. Has the patient experienced a reduction in body surface area (BSA) affected from baseline? ACTION REQUIRED: If Yes, please attach chart notes or medical record documentation of decreased body surface area affected.
ACTION REQUIRED: Submit supporting documentation Y N
17. Has the patient experienced an improvement in signs and symptoms of the condition from baseline (e.g., itching, redness, flaking, scaling, burning, cracking, pain)? ACTION REQUIRED: If Yes, please attach chart notes or medical record documentation of improvement in signs and symptoms.
ACTION REQUIRED: Submit supporting documentation Y N
18. Has the patient ever received or is currently receiving a biologic (e.g., Humira) or targeted synthetic drug (e.g., Sotyktu, Otezla) indicated for treatment of moderate to severe plaque psoriasis (excluding receiving the drug via samples or a manufacturer's patient assistance program)? ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried.
ACTION REQUIRED: Submit supporting documentation Y N
19. Are crucial body areas (e.g., hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) affected? ACTION REQUIRED: If Yes, please attach chart notes or medical record documentation of affected areas.
ACTION REQUIRED: Submit supporting documentation Y N
20. Is the percentage of body surface area (BSA) affected (prior to starting the requested medication) less than 3%? Y N
21. What is the percentage of body surface area (BSA) affected (prior to starting the requested drug or a biosimilar of the requested drug)? Indicate percentage. ACTION REQUIRED: Please attach chart notes or medical record documentation of body surface area affected.
Greater than or equal to 3% to less than 10% of BSA (If checked, go to 22)
Greater than or equal to 10% of BSA (If checked, go to 57)

ACTION REQUIRED: Submit supporting documentation

22. Has the patient had an inadequate response, or has an intolerance to phototherapy (e.g., UVB, PUVA) or pharmacologic treatment with methotrexate, cyclosporine, or acitretin? ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. ACTION REQUIRED: Submit supporting documentation Y N
23. Does the patient have a clinical reason to avoid pharmacologic treatment with methotrexate, cyclosporine, and acitretin? ACTION REQUIRED: If Yes, please attach documentation of clinical reason to avoid each therapy. ACTION REQUIRED: Submit supporting documentation Y N
24. Please indicate the clinical reason to avoid pharmacologic treatment with methotrexate, cyclosporine, and acitretin.
- Clinical diagnosis of alcohol use disorder, alcoholic liver disease, or other chronic liver disease (If checked, go to 57)
 - Drug interaction (If checked, go to 57)
 - Risk of treatment-related toxicity (If checked, go to 57)
 - Pregnancy or currently planning pregnancy (If checked, go to 57)
 - Breastfeeding (If checked, go to 57)
 - Significant comorbidity prohibits use of systemic agents (e.g., liver or kidney disease, blood dyscrasias, uncontrolled hypertension) (If checked, go to 57)
 - Hypersensitivity (If checked, go to 57)
 - History of intolerance or adverse event (If checked, go to 57)
 - Other, please specify (If checked, no further questions)
-
25. Is the patient 6 years of age or older? Y N
26. Is the requested drug or a biosimilar of the requested drug being prescribed by or in consultation with a rheumatologist or dermatologist? Y N
27. Is this request for continuation of therapy with the requested drug or a biosimilar of the requested drug? Y N
28. Is the patient currently receiving the requested drug or a biosimilar of the requested drug through samples or a manufacturer's patient assistance program?
- Yes (If checked, go to 31)
 - No (If checked, go to 29)
 - Unknown (If checked, go to 31)
29. Has the patient achieved or maintained a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms of the condition since starting treatment with the requested drug or a biosimilar of the requested drug? Y N
30. Which of the following has the patient experienced an improvement in from baseline? ACTION REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response.
- Number of swollen joints (If checked, go to 57)
 - Number of tender joints (If checked, go to 57)
 - Dactylitis (If checked, go to 57)
 - Enthesitis (If checked, go to 57)
 - Skin and/or nail involvement (If checked, go to 57)
 - Functional status (If checked, go to 57)
 - C-reactive protein (CRP) (If checked, go to 57)
 - None of the above (If checked, no further questions)
- ACTION REQUIRED: Submit supporting documentation

31. Has the patient been diagnosed with active psoriatic arthritis (PsA)? Y N
32. Has the patient ever received or is currently receiving a biologic (e.g., Humira) or targeted synthetic drug (e.g., Rinvoq, Otezla) indicated for active psoriatic arthritis (excluding receiving the drug via samples or a manufacturer's patient assistance program)? ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried.
ACTION REQUIRED: Submit supporting documentation Y N
33. What is the patient's disease severity?
Mild to moderate (If checked, go to 34)
Severe (If checked, go to 57)
34. Does the patient have enthesitis? Y N
35. Has the patient had an inadequate response to methotrexate, leflunomide, or another conventional synthetic drug (e.g., sulfasalazine) administered at an adequate dose and duration? ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy.
ACTION REQUIRED: Submit supporting documentation Y N
36. Has the patient had an intolerance to methotrexate, leflunomide, or another conventional synthetic drug (e.g., sulfasalazine)? ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy.
ACTION REQUIRED: Submit supporting documentation Y N
37. Does the patient have a contraindication to methotrexate or leflunomide? ACTION REQUIRED: If Yes, please attach documentation of clinical reason to avoid therapy.
ACTION REQUIRED: Submit supporting documentation Y N
38. Please indicate the contraindication to methotrexate or leflunomide.
Clinical diagnosis of alcohol use disorder, alcoholic liver disease, or other chronic liver disease (If checked, go to 57)
Drug interaction (If checked, go to 57)
Risk of treatment-related toxicity (If checked, go to 57)
Pregnancy or currently planning pregnancy (If checked, go to 57)
Breastfeeding (If checked, go to 57)
Significant comorbidity prohibits use of systemic agents (e.g., liver or kidney disease, blood dyscrasias, uncontrolled hypertension) (If checked, go to 57)
Hypersensitivity (If checked, go to 57)
History of intolerance or adverse event (If checked, go to 57)
Other, please specify. (If checked, no further questions)
-
39. Does the patient have a contraindication to another conventional synthetic drug (e.g., sulfasalazine)? ACTION REQUIRED: If Yes, please attach documentation of clinical reason to avoid therapy.
ACTION REQUIRED: Submit supporting documentation Y N
40. Has the patient been diagnosed with moderately to severely active Crohn's disease (CD)? Y N
41. Is the requested drug or a biosimilar of the requested drug being prescribed by or in consultation with a gastroenterologist? Y N
42. Which of the following applies to this request for the requested drug or a biosimilar of the requested drug?
Initiation of the intravenous (IV) loading dose (If checked, go to 57)
Initiation of the subcutaneous (SQ) maintenance dose (If checked, go to 57)
Continuation of the subcutaneous (SQ) maintenance dose (If checked, go to 43)

43. Has the patient achieved or maintained remission OR achieved or maintained a positive clinical response as evidenced by low disease activity or improvement in signs and symptoms of the condition since starting treatment with the requested drug or a biosimilar of the requested drug? ACTION REQUIRED: If Yes, please attach chart notes or medical record documentation of remission.
- Yes, achieved or maintained remission (If checked, go to 57)
- Yes, achieved or maintained a positive clinical response (If checked, go to 44)
- No or none of the above (If checked, go to 45)
- ACTION REQUIRED: Submit supporting documentation
44. Which of the following has the patient experienced an improvement in from baseline? ACTION REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response to therapy.
- Abdominal pain or tenderness (If checked, go to 57)
- Diarrhea (If checked, go to 57)
- Body weight (If checked, go to 57)
- Abdominal mass (If checked, go to 57)
- Hematocrit (If checked, go to 57)
- Appearance of the mucosa on endoscopy, computed tomography enterography (CTE), magnetic resonance enterography (MRE), or intestinal ultrasound (If checked, go to 57)
- Improvement on a disease activity scoring tool (e.g., Crohn's Disease Activity Index [CDAI] score) (If checked, go to 57)
- None of the above (If checked, go to 45)
- ACTION REQUIRED: Submit supporting documentation
45. Is this a request for an increase in dosing frequency due to the patient not achieving an adequate clinical response at the current frequency? Y N
46. Has the patient been diagnosed with moderately to severely active ulcerative colitis (UC)? Y N
47. Is the requested drug or a biosimilar of the requested drug being prescribed by or in consultation with a gastroenterologist? Y N
48. Which of the following applies to this request for the requested drug or a biosimilar of the requested drug?
- Initiation of the intravenous (IV) loading dose (If checked, go to 57)
- Initiation of the subcutaneous (SQ) maintenance dose (If checked, go to 57)
- Continuation of the subcutaneous (SQ) maintenance dose (If checked, go to 49)
49. Has the patient achieved or maintained remission OR achieved or maintained a positive clinical response to treatment as evidenced by low disease activity or improvement in signs and symptoms of the condition since starting treatment with the requested drug or a biosimilar of the requested drug? ACTION REQUIRED: If Yes, please attach chart notes or medical record documentation of remission.
- Yes, achieved or maintained remission (If checked, go to 57)
- Yes, achieved or maintained a positive clinical response (If checked, go to 50)
- No or none of the above (If checked, go to 51)
- ACTION REQUIRED: Submit supporting documentation
50. Which of the following has the patient experienced an improvement in from baseline? ACTION REQUIRED: Please attach chart notes or medical record documentation supporting positive clinical response to therapy.
- Stool frequency (If checked, go to 57)
- Rectal bleeding (If checked, go to 57)
- Urgency of defecation (If checked, go to 57)



C-reactive protein (CRP) (If checked, go to 57)	<input type="checkbox"/>		
Fecal calprotectin (FC) (If checked, go to 57)	<input type="checkbox"/>		
Appearance of the mucosa on endoscopy, computed tomography enterography (CTE), magnetic resonance enterography (MRE), or intestinal ultrasound (If checked, go to 57)	<input type="checkbox"/>		
Improvement on a disease activity scoring tool (e.g., Ulcerative Colitis Endoscopic Index of Severity [UCEIS], Mayo Score) (If checked, go to 57)	<input type="checkbox"/>		
None of the above (If checked, go to 51)	<input type="checkbox"/>		
ACTION REQUIRED: Submit supporting documentation			
51. Is this a request for an increase in dosing frequency due to the patient not achieving an adequate clinical response at the current frequency?	Y <input type="checkbox"/>	N <input type="checkbox"/>	
52. Is the requested drug or a biosimilar of the requested drug being prescribed by or in consultation with a gastroenterologist, hematologist, or oncologist?	Y <input type="checkbox"/>	N <input type="checkbox"/>	
53. Has the patient experienced an inadequate response to infliximab or vedolizumab? ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. ACTION REQUIRED: Submit supporting documentation	Y <input type="checkbox"/>	N <input type="checkbox"/>	
54. Has the patient experienced an intolerance to infliximab or vedolizumab? ACTION REQUIRED: If Yes, please attach chart notes, medical record documentation, or claims history supporting previous medications tried, including response to therapy. ACTION REQUIRED: Submit supporting documentation	Y <input type="checkbox"/>	N <input type="checkbox"/>	
55. Does the patient have a contraindication to infliximab or vedolizumab? ACTION REQUIRED: If Yes, please attach documentation of clinical reason to avoid therapy. ACTION REQUIRED: Submit supporting documentation	Y <input type="checkbox"/>	N <input type="checkbox"/>	
56. Is the requested quantity supported by dosing guidelines found in the compendia or current literature (e.g., Micromedex DrugDex, NCCN compendia, current treatment guidelines)?	Y <input type="checkbox"/>	N <input type="checkbox"/>	
57. What is the diagnosis?			
Plaque psoriasis (If checked, go to 58)	<input type="checkbox"/>		
Psoriatic arthritis WITH co-existent plaque psoriasis (If checked, go to 58)	<input type="checkbox"/>		
Psoriatic arthritis (If checked, go to 74)	<input type="checkbox"/>		
Crohn's disease (If checked, go to 82)	<input type="checkbox"/>		
Ulcerative colitis (If checked, go to 82)	<input type="checkbox"/>		
58. What is the requested formulation?			
Subcutaneous injection (If checked, go to 59)	<input type="checkbox"/>		
Intravenous infusion (If checked, no further questions)	<input type="checkbox"/>		
59. Is the patient currently receiving the requested drug or a biosimilar of the requested drug?	Y <input type="checkbox"/>	N <input type="checkbox"/>	
60. What is the patient's weight? Indicate in kilograms (kg).			
Less than or equal to 100 kg (If checked, go to 61)	<input type="checkbox"/>		

Greater than 100 kg (If checked, go to 64)	<input type="checkbox"/>		

61. Does the prescribed maintenance dose exceed 45 mg?	Y <input type="checkbox"/>	N <input type="checkbox"/>	
62. Is the prescribed frequency for the maintenance dose more frequent than one dose every 12 weeks?	Y <input type="checkbox"/>	N <input type="checkbox"/>	
63. What is the requested product?			
Stelara (If checked, no further questions)	<input type="checkbox"/>		



- Imuldosa (If checked, no further questions)
- Otulfi (If checked, no further questions)
- Pyzchiva (If checked, no further questions)
- Selarsdi (If checked, no further questions)
- Starjemza (If checked, no further questions)
- Steqeyma (If checked, no further questions)
- ustekinumab (If checked, no further questions)
- ustekinumab-aaaz (If checked, no further questions)
- ustekinumab-aekn (If checked, no further questions)
- ustekinumab-auub (If checked, no further questions)
- ustekinumab-srlf (If checked, no further questions)
- ustekinumab-stba (If checked, no further questions)
- ustekinumab-ttwe (If checked, no further questions)
- Wezlana (If checked, no further questions)
- Yesintek (If checked, no further questions)

64. Does the prescribed maintenance dose exceed 90 mg? **Y** **N**

65. Is the prescribed frequency for the maintenance dose more frequent than one dose every 12 weeks? **Y** **N**

66. What is the requested product?

- Stelara (If checked, no further questions)
- Imuldosa (If checked, no further questions)
- Otulfi (If checked, no further questions)
- Pyzchiva (If checked, no further questions)
- Selarsdi (If checked, no further questions)
- Starjemza (If checked, no further questions)
- Steqeyma (If checked, no further questions)
- ustekinumab (If checked, no further questions)
- ustekinumab-aaaz (If checked, no further questions)
- ustekinumab-aekn (If checked, no further questions)
- ustekinumab-auub (If checked, no further questions)
- ustekinumab-srlf (If checked, no further questions)
- ustekinumab-stba (If checked, no further questions)
- ustekinumab-ttwe (If checked, no further questions)
- Wezlana (If checked, no further questions)
- Yesintek (If checked, no further questions)

67. What is the patient's weight? Indicate in kilograms (kg).

Less than or equal to 100 kg (If checked, go to 68)

Greater than 100 kg (If checked, go to 71)



-
68. Does the prescribed dose exceed a loading dose of 45 mg at weeks 0 and 4, and a maintenance dose of 45 mg thereafter? Y N
69. Is the prescribed frequency for the maintenance dose more frequent than one dose every 12 weeks? Y N
70. What is the requested product?
- Stelara (If checked, no further questions)
 - Imuldosa (If checked, no further questions)
 - Otulfi (If checked, no further questions)
 - Pyzchiva (If checked, no further questions)
 - Selarsdi (If checked, no further questions)
 - Starjemza (If checked, no further questions)
 - Steqeyma (If checked, no further questions)
 - ustekinumab (If checked, no further questions)
 - ustekinumab-aaaz (If checked, no further questions)
 - ustekinumab-aekn (If checked, no further questions)
 - ustekinumab-auub (If checked, no further questions)
 - ustekinumab-srlf (If checked, no further questions)
 - ustekinumab-stba (If checked, no further questions)
 - ustekinumab-ttwe (If checked, no further questions)
 - Wezlana (If checked, no further questions)
 - Yesintek (If checked, no further questions)
71. Does the prescribed dose exceed a loading dose of 90 mg at weeks 0 and 4, and a maintenance dose of 90 mg thereafter? Y N
72. Is the prescribed frequency for the maintenance dose more frequent than one dose every 12 weeks? Y N
73. What is the requested product?
- Stelara (If checked, no further questions)
 - Imuldosa (If checked, no further questions)
 - Otulfi (If checked, no further questions)
 - Pyzchiva (If checked, no further questions)
 - Selarsdi (If checked, no further questions)
 - Starjemza (If checked, no further questions)
 - Steqeyma (If checked, no further questions)
 - ustekinumab (If checked, no further questions)
 - ustekinumab-aaaz (If checked, no further questions)
 - ustekinumab-aekn (If checked, no further questions)
 - ustekinumab-auub (If checked, no further questions)
 - ustekinumab-srlf (If checked, no further questions)
 - ustekinumab-stba (If checked, no further questions)
 - ustekinumab-ttwe (If checked, no further questions)



- Wezlana (If checked, no further questions)
- Yesintek (If checked, no further questions)
74. What is the requested formulation?
- Subcutaneous injection (If checked, go to 75)
- Intravenous infusion (If checked, no further questions)
75. Is the patient currently receiving the requested drug or a biosimilar of the requested drug? **Y** **N**
76. Does the prescribed maintenance dose exceed 45 mg? **Y** **N**
77. Is the prescribed frequency for the maintenance dose more frequent than one dose every 12 weeks? **Y** **N**
78. What is the requested product?
- Stelara (If checked, no further questions)
- Imuldosa (If checked, no further questions)
- Otulfi (If checked, no further questions)
- Pyzchiva (If checked, no further questions)
- Selarsdi (If checked, no further questions)
- Starjemza (If checked, no further questions)
- Steqeyma (If checked, no further questions)
- ustekinumab (If checked, no further questions)
- ustekinumab-aaaz (If checked, no further questions)
- ustekinumab-aekn (If checked, no further questions)
- ustekinumab-auub (If checked, no further questions)
- ustekinumab-srlf (If checked, no further questions)
- ustekinumab-stba (If checked, no further questions)
- ustekinumab-ttwe (If checked, no further questions)
- Wezlana (If checked, no further questions)
- Yesintek (If checked, no further questions)
79. Does the prescribed dose exceed a loading dose of 45 mg at weeks 0 and 4, and a maintenance dose of 45 mg thereafter? **Y** **N**
80. Is the prescribed frequency for the maintenance dose more frequent than one dose every 12 weeks? **Y** **N**
81. What is the requested product?
- Stelara (If checked, no further questions)
- Imuldosa (If checked, no further questions)
- Otulfi (If checked, no further questions)
- Pyzchiva (If checked, no further questions)
- Selarsdi (If checked, no further questions)
- Starjemza (If checked, no further questions)
- Steqeyma (If checked, no further questions)
- ustekinumab (If checked, no further questions)



- ustekinumab-aaaz (If checked, no further questions)
- ustekinumab-aekn (If checked, no further questions)
- ustekinumab-auub (If checked, no further questions)
- ustekinumab-srlf (If checked, no further questions)
- ustekinumab-stba (If checked, no further questions)
- ustekinumab-ttwe (If checked, no further questions)
- Wezlana (If checked, no further questions)
- Yesintek (If checked, no further questions)

82. Which of the following applies to this request for the requested drug or a biosimilar of the requested drug?

- Initiation of the intravenous (IV) loading dose (If checked, go to 92)
- Initiation of the subcutaneous (SQ) maintenance dose (If checked, go to 83)
- Continuation of the subcutaneous (SQ) maintenance dose (If checked, go to 85)

83. Does the prescribed maintenance dose exceed 90 mg? **Y** **N**

84. Is the prescribed frequency for the maintenance dose more frequent than one dose every 8 weeks? **Y** **N**

85. Does the prescribed maintenance dose exceed 90 mg? **Y** **N**

86. Is the prescribed frequency for the maintenance dose more frequent than one dose every 8 weeks? **Y** **N**

87. Please select the situation that applies to the patient.

- Patient is continuing therapy at current frequency (If checked, go to 89)
- Prescriber is increasing frequency (If checked, go to 88)

88. Does the patient require an increase in dosing frequency due to lack of clinical response at the current dose? **Y** **N**

89. Is the prescribed frequency for the maintenance dose more frequent than one dose every 4 weeks? **Y** **N**

90. What is the requested product?

- Stelara (If checked, no further questions)
- Imuldosa (If checked, no further questions)
- Otulfi (If checked, no further questions)
- Pyzchiva (If checked, no further questions)
- Selarsdi (If checked, no further questions)
- Starjemza (If checked, no further questions)
- Steqeyma (If checked, no further questions)
- ustekinumab (If checked, no further questions)
- ustekinumab-aaaz (If checked, no further questions)
- ustekinumab-aekn (If checked, no further questions)
- ustekinumab-auub (If checked, no further questions)
- ustekinumab-srlf (If checked, no further questions)
- ustekinumab-stba (If checked, no further questions)



- ustekinumab-ttwe (If checked, no further questions)
- Wezlana (If checked, no further questions)
- Yesintek (If checked, no further questions)
91. What is the requested product?
- Stelara (If checked, no further questions)
- Imuldosa (If checked, no further questions)
- Otulfi (If checked, no further questions)
- Pyzchiva (If checked, no further questions)
- Selarsdi (If checked, no further questions)
- Starjemza (If checked, no further questions)
- Steqeyma (If checked, no further questions)
- ustekinumab (If checked, no further questions)
- ustekinumab-aaaz (If checked, no further questions)
- ustekinumab-aeqn (If checked, no further questions)
- ustekinumab-aaub (If checked, no further questions)
- ustekinumab-srlf (If checked, no further questions)
- ustekinumab-stba (If checked, no further questions)
- ustekinumab-ttwe (If checked, no further questions)
- Wezlana (If checked, no further questions)
- Yesintek (If checked, no further questions)
92. What is the patient's weight? Indicate in kilograms (kg).
- Less than or equal to 55 kg (If checked, go to 93)
-
- Greater than 55 kg to less than or equal to 85 kg (If checked, go to 96)
-
- Greater than 85 kg (If checked, go to 99)
-
93. Does the prescribed dose exceed a one-time loading dose of 260 mg and a maintenance dose of 90 mg thereafter? **Y** **N**
94. Is the prescribed frequency for the maintenance dose more frequent than one dose every 8 weeks? **Y** **N**
95. What is the requested product?
- Stelara (If checked, no further questions)
- Imuldosa (If checked, no further questions)
- Otulfi (If checked, no further questions)
- Pyzchiva (If checked, no further questions)
- Selarsdi (If checked, no further questions)
- Starjemza (If checked, no further questions)
- Steqeyma (If checked, no further questions)
- ustekinumab (If checked, no further questions)
- ustekinumab-aaaz (If checked, no further questions)



- ustekinumab-aekn (If checked, no further questions)
- ustekinumab-auub (If checked, no further questions)
- ustekinumab-srlf (If checked, no further questions)
- ustekinumab-stba (If checked, no further questions)
- ustekinumab-ttwe (If checked, no further questions)
- Wezlana (If checked, no further questions)
- Yesintek (If checked, no further questions)
96. Does the prescribed dose exceed a one-time loading dose of 390 mg and a maintenance dose of 90 mg thereafter? **Y** **N**
97. Is the prescribed frequency for the maintenance dose more frequent than one dose every 8 weeks? **Y** **N**
98. What is the requested product?
- Stelara (If checked, no further questions)
- Imuldosa (If checked, no further questions)
- Otulfi (If checked, no further questions)
- Pyzchiva (If checked, no further questions)
- Selarsdi (If checked, no further questions)
- Starjemza (If checked, no further questions)
- Steqeyma (If checked, no further questions)
- ustekinumab (If checked, no further questions)
- ustekinumab-aaaz (If checked, no further questions)
- ustekinumab-aekn (If checked, no further questions)
- ustekinumab-auub (If checked, no further questions)
- ustekinumab-srlf (If checked, no further questions)
- ustekinumab-stba (If checked, no further questions)
- ustekinumab-ttwe (If checked, no further questions)
- Wezlana (If checked, no further questions)
- Yesintek (If checked, no further questions)
99. Does the prescribed dose exceed a one-time loading dose of 520 mg and a maintenance dose of 90 mg thereafter? **Y** **N**
100. Is the prescribed frequency for the maintenance dose more frequent than one dose every 8 weeks? **Y** **N**
101. What is the requested product?
- Stelara (If checked, no further questions)
- Imuldosa (If checked, no further questions)
- Otulfi (If checked, no further questions)
- Pyzchiva (If checked, no further questions)
- Selarsdi (If checked, no further questions)
- Starjemza (If checked, no further questions)
- Steqeyma (If checked, no further questions)



- ustekinumab (If checked, no further questions)
- ustekinumab-aaaz (If checked, no further questions)
- ustekinumab-aekn (If checked, no further questions)
- ustekinumab-auub (If checked, no further questions)
- ustekinumab-srlf (If checked, no further questions)
- ustekinumab-stba (If checked, no further questions)
- ustekinumab-ttwe (If checked, no further questions)
- Wezlana (If checked, no further questions)
- Yesintek (If checked, no further questions)

I attest that the medication requested is medically necessary for this patient. I further attest that the information provided is accurate and true, and that the documentation supporting this information is available for review if requested by the claims processor, the health plan sponsor, or, if applicable a state or federal regulatory agency.

Prescriber (Or Authorized) Signature and Date

Now you can get responses to drug PAs immediately and securely online—without faxes, phone calls, or waiting. How? With electronic prior authorization (ePA)! For more information and to register, go to www.caremark.com/epa.