

**IQIRVO
(elafibranor)**

Pre - PA Allowance

None

Prior-Approval Requirements

Age 18 years of age or older

Diagnosis

Patient must have the following:

1. Primary biliary cholangitis (PBC)

AND submission of medical records (e.g., chart notes, laboratory values) documenting **ONE** of the following:

- a. Inadequate response
 - i. History of a minimum of a 1 year trial of ursodeoxycholic acid (UDCA)
- b. Intolerance
 - i. An intolerance which is unable to be resolved with attempts to minimize the adverse effects where appropriate (e.g., dose reduction) with a history of a trial of ursodeoxycholic acid (UDCA)

AND submission of medical records (e.g., chart notes, laboratory values) documenting **ALL** of the following:

- a. Iqirvo must be used in combination with UDCA in patients who are tolerant or used as monotherapy in patients who are unable to tolerate UDCA
- b. Confirmation of diagnosis with elevated serum alkaline phosphatase level **AND ONE** of the following tests:
 - i. Positive antimitochondrial antibody test
 - ii. Liver biopsy
 - iii. Ultrasound scan of liver
- c. **NO** decompensated cirrhosis
- d. **NO** preliminary biliary obstruction prior to initiation of therapy and agreement to discontinue therapy if complete biliary obstruction develops

**IQIRVO
(elafibranor)**

- e. Physician agrees to frequently monitor patient during treatment for elevations in liver biochemical tests, development of liver-related adverse reactions, and for changes in serum lipid levels

All approved requests are subject to review by a clinical specialist for final validation and coverage determination once all required documentation has been received. Current utilization, including samples, does not guarantee approval of coverage.

Prior - Approval Limits

Quantity 90 tablets per 90 days
Duration 6 months

Prior – Approval *Renewal* Requirements

Age 18 years of age or older

Diagnosis

Patient must have the following:

1. Primary biliary cholangitis (PBC)

AND submission of medical records (e.g., chart notes, laboratory values) documenting **ALL** of the following:

- a. Confirmation of patient improvement with **ALL** of the following:
 - i. Serum alkaline phosphatase (ALP) decrease of at least 15%
 - ii. Total bilirubin level of ≤ 1.1 mg/dL for females and ≤ 1.5 mg/dL for males
- b. The physician has weighed the potential risks against the benefits of continuing treatment in patients experiencing clinically significant liver-related adverse reactions
- c. **NO** decompensated cirrhosis
- d. **NO** evidence of complete biliary obstruction
- e. Physician agrees to frequently monitor patient during treatment for elevations in liver biochemical tests, development of liver-related adverse reactions, and for changes in serum lipid levels

All approved requests are subject to review by a clinical specialist for final validation and coverage determination once all required documentation has been received. Current



**BlueCross
BlueShield**

Federal Employee Program.

**IQIRVO
(elafibranor)**

utilization, including samples, does not guarantee approval of coverage.

Prior - Approval *Renewal* Limits

Quantity 90 tablets per 90 days

Duration 12 months