



HYALURONIC ACID DERIVATIVES

Durolane, Euflexxa, **GelSyn-3**, GenVisc 850, **Hyalgan**, Sodium Hyaluronate, **Supartz**, Synjoynnt, Triluron, TriVisc, Visco-3 (sodium hyaluronate)

Gel-ONE, Hymovis, Monovisc, Orthovisc (hyaluronan)

Synvisc, Synvisc-One (hylan G-F 20)

Bolded medications are the preferred products for claims adjudicated through the pharmacy benefit.

Pre - PA Allowance

None

Prior-Approval Requirements

Age 18 years or older (22 or older for Synvisc, Synvisc-One, and TriVisc)

Diagnosis

Patient must have the following:

Osteoarthritis of the knee

AND ALL of the following:

1. Inadequate response to **TWO** or more of the following conservative non-pharmacologic therapy:
 - a. Cardiovascular (aerobic) activity, such as: walking, biking, stationary bike, aquatic exercise
 - b. Resistance exercise
 - c. Weight reduction (for persons who are overweight)
 - d. Participation in self-management programs
 - e. Wear of medially directed patellar taping
 - f. Wear of wedged insoles
 - g. Thermal agents
 - h. Walking aids
 - i. Physical therapy
 - j. Occupational therapy
2. Inadequate response, intolerance, or contraindication to **TWO** or more of the following:
 - a. Acetaminophen
 - b. Oral NSAIDs



HYALURONIC ACID DERIVATIVES

Durolane, Euflexxa, **GelSyn-3**, GenVisc 850, **Hyalgan**, Sodium Hyaluronate, **Supartz**, Synjojoynt, Triluron, TriVisc, Visco-3 (sodium hyaluronate)

Gel-ONE, Hymovis, Monovisc, Orthovisc (hyaluronan)

Synvisc, Synvisc-One (hylan G-F 20)

Bolded medications are the preferred products for claims adjudicated through the pharmacy benefit.

c. Topical NSAIDs

3. Inadequate response, intolerance, or contraindication to intra-articular steroid injections in which efficacy lasted less than 8 weeks
4. Radiologic confirmation of Kellgren-Lawrence Scale score of grade 2 or greater
5. NO dual therapy with another hyaluronic acid injectable
6. **Non-preferred medications only:** Patient **MUST** have tried at least **TWO** of the preferred products if adjudicated through the pharmacy benefit unless the patient has a valid medical exception (e.g. inadequate treatment response, intolerance, contraindication)

Prior - Approval Limits

Duration 12 months

Quantity One course of therapy for each knee

Prior – Approval *Renewal* Requirements

Age 18 years or older (22 or older for Synvisc, Synvisc-One, and TriVisc)

Diagnosis

Patient must have the following:

Osteoarthritis of the knee

AND ALL of the following:

1. Documentation of improvement in pain with previous course of treatment
2. At least 12 months has elapsed since last injection of the prior treatment cycle



HYALURONIC ACID DERIVATIVES

Durolane, Euflexxa, **GelSyn-3**, GenVisc 850, **Hyalgan**, Sodium Hyaluronate, **Supartz**, Synojoynt, Triluron, TriVisc, Visco-3 (sodium hyaluronate)

Gel-ONE, Hymovis, Monovisc, Orthovisc (hyaluronan)

Synvisc, Synvisc-One (hylan G-F 20)

Bolded medications are the preferred products for claims adjudicated through the pharmacy benefit.

3. Documentation of reduction of dosing of NSAIDs or other analgesics during the 12 month period following the last injection of the prior treatment cycle.
4. **NO** dual therapy with another hyaluronic acid injectable
5. **Non-preferred medications only:** Patient **MUST** have tried at least **TWO** of the preferred products if adjudicated through the pharmacy benefit unless the patient has a valid medical exception (e.g. inadequate treatment response, intolerance, contraindication)

Prior – Approval *Renewal* Limits

Same as above