

XIAFLEX (collagenase clostridium histolyticum)

Pre – PA Allowance

None

Prior-Approval Requirements

Age 18 years of age or older

Diagnoses

Patient must have **ONE** of the following:

- 1. Dupuytren's contracture
 - a. With a palpable cord
- 2. Peyronie's disease
 - A palpable plaque and curvature deformity of at least 30 degrees at the start of therapy
 - b. Plaques DO NOT involve penile urethra
 - c. **NOT** being used exclusively to treat erectile dysfunction
 - d. Physician must complete Risk Evaluation and Mitigation Strategy (REMS) program

Prior - Approval Limits

Dupuytren's contracture

Quantity 3 injections per involved cord at 4 week intervals

Duration 12 weeks

Peyronie's disease

- **Quantity** 2 injections at 6 week intervals up to 4 times
- Duration 28 weeks

Prior – Approval Renewal Requirements

Age 18 years of age or older



XIAFLEX (collagenase clostridium histolyticum)

Diagnosis

Patient must have the following:

- 1. Dupuytren's contracture
 - a. With a palpable cord

NO renewal for Peyronie's disease

Prior – Approval Renewal Limits

Dupuytren's contracture

- Quantity 1 injection per involved cord at 4 week intervals (maximum 3 injections per involved cord over 12 weeks)
- **Duration** 12 weeks

Peyronie's disease

NO renewal