



Federal Employee Program.

## SGLT2 STEP POLICY

Farxiga (dapagliflozin), Glyxambi (empagliflozin/linagliptin), Jardiance (empagliflozin), Qtern (dapagliflozin/saxagliptin), Synjardy, Synjardy XR (empagliflozin/metformin), Xigduo XR (dapagliflozin/metformin)

## Prior-Approval Requirements

*Claims submitted with an ICD 10 diagnosis code indicating type 2 diabetes mellitus **OR** patients who have filled metformin in the past 1 year are exempt from these Prior Authorization (PA) requirements.*

### Diagnosis

Patient must have the following:

Type 2 diabetes mellitus (T2DM)

- a. Patient has had an inadequate treatment response, intolerance, or contraindication to metformin
- b. **NO** dual therapy with other SGLT2 inhibitors (see Appendix 1)

---

### Farxiga and Jardiance only

**Age** 18 years of age or older

### Diagnoses

Patient must have **ONE** of the following:

1. Heart failure (HF)
  - a. **NO** dual therapy with other SGLT2 inhibitors (see Appendix 1)
2. Chronic kidney disease (CKD)
  - a. **NO** polycystic kidney disease (PKD)
  - b. **NO** current or recent history of immunosuppressive therapy for the treatment of kidney disease (e.g., tacrolimus, sirolimus, cyclosporine, mycophenolate etc.)
  - c. **NO** dual therapy with other SGLT2 inhibitors (see Appendix 1)

## Prior - Approval Limits

**Duration** 12 months

---

## Prior – Approval Renewal Requirements



BlueCross  
BlueShield

Federal Employee Program.

## SGLT2 STEP POLICY

Farxiga (dapagliflozin), Glyxambi (empagliflozin/linagliptin), Jardiance (empagliflozin), Qtern (dapagliflozin/saxagliptin), Synjardy, Synjardy XR (empagliflozin/metformin), Xigduo XR (dapagliflozin/metformin)

### Diagnosis

Patient must have the following:

1. Type 2 diabetes mellitus (T2DM)
    - a. **NO** dual therapy with other SGLT2 inhibitors (see Appendix 1)
- 

### Farxiga and Jardiance only

**Age** 18 years of age or older

### Diagnoses

Patient must have **ONE** of the following:

1. Heart failure (HF)
  - a. Symptoms have improved or stabilized
  - b. **NO** dual therapy with other SGLT2 inhibitors (see Appendix 1)
2. Chronic kidney disease (CKD)
  - a. Reduced decline in renal function
  - b. **NO** dual therapy with other SGLT2 inhibitors (see Appendix 1)

### Prior – Approval Renewal Limits

Same as above

---

### Appendix 1 - List of SGLT2 Inhibitors

Generic Name	Brand Name
bexagliflozin	Brenzavvy
canagliflozin	Invokana
canagliflozin/metformin	Invokamet/Invokamet XR
dapagliflozin	Farxiga
dapagliflozin/metformin	Xigduo XR
dapagliflozin/saxagliptin	Qtern
empagliflozin	Jardiance
empagliflozin/linagliptin	Glyxambi



Federal Employee Program.

## **SGLT2 STEP POLICY**

Farxiga (dapagliflozin), Glyxambi (empagliflozin/linagliptin), Jardiance (empagliflozin),  
Qtern (dapagliflozin/saxagliptin), Synjardy, Synjardy XR (empagliflozin/metformin), Xigduo  
XR (dapagliflozin/metformin)

empagliflozin/linagliptin/metformin	Trijardy XR
empagliflozin/metformin	Synjardy/Synjardy XR
ertugliflozin	Steglatro
ertugliflozin/metformin	Segluromet
ertugliflozin/sitagliptin	Steglujan
sotagliflozin	Inpefa