



**BlueCross
BlueShield**

Federal Employee Program

**BEVACIZUMAB
PRIOR APPROVAL REQUEST**

Additional information is required to process your claim for prescription drugs. Please complete the patient portion, and have the prescribing physician complete the physician portion and submit this completed form.

Send completed form to:
Service Benefit Plan
Prior Approval
P.O. Box 52080 MC 139
Phoenix, AZ 85072-2080
Attn: Clinical Services
Fax: 1-877-378-4727

Patient Information (required)				Provider Information (required)		
Date:				Provider Name:		
Patient Name:				Specialty:		NPI:
Date of Birth:	Sex: <input type="checkbox"/> Male <input type="checkbox"/> Female			Office Phone:		Office Fax:
Street Address:				Office Street Address:		
City:	State:	Zip:		City:	State:	Zip:
Patient ID:	R			Physician Signature:		
PHYSICIAN COMPLETES						

NOTE: Form must be completed in its **entirety** for processing

Please select medication:

- ☐ Alimta (bevacizumab-maly)
 ☐ Avastin (bevacizumab)
 ☐ Mvasi (bevacizumab-awwb)
 ☐ Vegzelma (bevacizumab-adcd)
 ☐ Zirabev (bevacizumab-bvzr)

****Check www.fepblue.org/formulary to confirm which medication is part of the patient's benefit**

- Has the patient been on this medication continuously for the last **6 months** excluding samples? *Please select answer below:*
 - ☐ **YES** – this is a PA renewal for **CONTINUATION** of therapy, please answer the questions on **PAGE 3**
 - ☐ **NO** - this is **INITIATION** of therapy, please answer the questions below:
- Is this request for brand or generic? ☐ Brand ☐ Generic
- Requests for Alimta (bevacizumab-maly), Avastin (bevacizumab), or Vegzelma (bevacizumab-adcd):** Does the patient have an intolerance or contraindication or have they had an inadequate treatment response to ONE of the following medications: Zirabev or Mvasi? ☐ Yes ☐ No
- What is the patient's diagnosis?
 - ☐ Glioblastoma multiforme (GBM)
 - Will this medication be used as a single-agent therapy? ☐ Yes ☐ No
 - Has there been progression of the disease following prior therapy? ☐ Yes ☐ No
 - ☐ Metastatic cervical cancer **OR** ☐ Persistent cervical cancer **OR** ☐ Recurrent cervical cancer
 - Will the patient be treated with paclitaxel (Taxol)? ☐ Yes ☐ No
 - Will the patient be treated with cisplatin? ☐ Yes ☐ No*
 - *If NO**, will the patient be treated with topotecan (Hycamtin)? ☐ Yes ☐ No
 - ☐ Metastatic colorectal cancer
 - Is this medication being used as first-line treatment? *Please select answer below:*
 - ☐ **Yes, first-line treatment:** Is the patient receiving concurrent IV chemotherapy with 5-Fluorouracil (5-FU)? ☐ Yes ☐ No
 - ☐ **No:** Will the patient be receiving concurrent therapy with ONE of the following regimens: fluoropyrimidine and irinotecan-based chemotherapy, fluoropyrimidine and oxaliplatin-based chemotherapy, 5-fluorouracil-based chemotherapy, or trifluridine and tipiracil (Lonsurf)? ☐ Yes* ☐ No
 - *If YES**, select answer: ☐ 5-Fluorouracil-based chemotherapy ☐ Fluoropyrimidine-irinotecan based chemotherapy ☐ Fluoropyrimidine-oxaliplatin based chemotherapy ☐ Trifluridine and tipiracil (Lonsurf)
 - ☐ Metastatic hepatocellular carcinoma (HCC) **OR** ☐ Unresectable hepatocellular carcinoma (HCC)
 - Has the patient received prior systemic therapy? ☐ Yes ☐ No
 - Will this medication be given in combination with atezolizumab (Tecentriq)? ☐ Yes ☐ No
 - ☐ Metastatic renal cell carcinoma
 - Will the patient be receiving concurrent therapy with interferon-alfa? ☐ Yes ☐ No

PLEASE PROCEED TO PAGE 2 FOR ADDITIONAL DIAGNOSES

PAGE 1 of 4



**BlueCross
BlueShield**

Federal Employee Program

**BEVACIZUMAB
PRIOR APPROVAL REQUEST**

Additional information is required to process your claim for prescription drugs. Please complete the patient portion, and have the prescribing physician complete the physician portion and submit this completed form.

Send completed form to:
Service Benefit Plan
Prior Approval
P.O. Box 52080 MC 139
Phoenix, AZ 85072-2080
Attn: Clinical Services
Fax: 1-877-378-4727

PAGE 2 - PHYSICIAN COMPLETES

Patient Name: _____ DOB: _____ Patient ID: R _____

☐ Non-squamous non-small cell lung cancer

- a. Is this medication being used as first-line therapy? ☐ Yes ☐ No
b. Is the cancer unresectable, locally advanced, recurrent, or metastatic? ☐ Yes ☐ No
c. Will the patient be receiving concurrent therapy with carboplatin and paclitaxel? ☐ Yes ☐ No

☐ Ocular disease resulting from intravitreal neovascularization including:

a. Please select one of the following below:

- | | | |
|---|---|---|
| <input type="checkbox"/> Angioid streaks | <input type="checkbox"/> Ocular histoplasmosis | <input type="checkbox"/> Macular edema secondary to retinal vascular occlusion |
| <input type="checkbox"/> Diabetic macular edema | <input type="checkbox"/> Progressive high myopia | <input type="checkbox"/> Neovascular (Wet) Age-related Macular Degeneration (AMD) |
| <input type="checkbox"/> Neovascular glaucoma | <input type="checkbox"/> Retinopathy of prematurity | <input type="checkbox"/> Proliferative diabetic retinopathy |

b. Will this medication be used in combination with other Vascular Endothelial Growth Factor (VEGF) inhibitors for ocular indications? ☐ Yes* ☐ No

*If YES, please specify the medication: _____

*VEGF Inhibitors: Beovu (brolucizumab-dblb), Eylea/Eylea HD (aflibercept), Lucentis (ranibizumab), Susvimo (ranibizumab), Vabysmo (faricimab-svoa)

☐ Epithelial ovarian cancer OR ☐ Fallopian tube cancer OR ☐ Primary peritoneal cancer

- a. Is the patient undergoing the initial surgical resection? ☐ Yes* (*If YES, answer the following questions) ☐ No
i. Is the cancer a stage III or stage IV disease? ☐ Yes ☐ No
ii. Will this medication be given in combination with carboplatin (Paraplatin) and paclitaxel (Taxol) for up to 6 cycles followed by this medication as a single agent? ☐ Yes ☐ No

b. Is the cancer recurrent platinum-resistant or recurrent platinum-sensitive? ☐ Yes* ☐ Cancer is not recurrent

*If YES, please select one of the following:

☐ **Recurrent Platinum-Resistant:** Will this medication be given concurrently with paclitaxel (Taxol/Onxal), pegylated liposomal doxorubicin (Doxil/Caelyx), or topotecan (Hycamtin)? ☐ Yes* ☐ No

*If YES, please select one of the following below:

☐ paclitaxel (Taxol/Onxal) ☐ pegylated liposomal doxorubicin (Doxil/Caelyx) ☐ topotecan (Hycamtin)

☐ **Recurrent Platinum-Sensitive:** Will this medication be given in combination with carboplatin (Paraplatin) and paclitaxel (Taxol) followed by this medication as a single agent? ☐ Yes ☐ No*

*If NO, will this medication be given in combination with carboplatin (Paraplatin) and gemcitabine (Gemzar) followed by this medication as a single agent? ☐ Yes ☐ No

c. Is the patient's cancer considered to be advanced? ☐ Yes* (*If YES, answer the following questions) ☐ No

- i. Will this medication be given in combination with olaparib (Lynparza)? ☐ Yes ☐ No
ii. Has the patient had a complete or partial response to platinum-based chemotherapy? ☐ Yes* ☐ No

*If YES, please select one of the following below:

☐ Complete response to platinum-based chemotherapy ☐ Partial response to platinum-based chemotherapy

d. Is the cancer associated with homologous recombination deficiency (HRD) positive status? ☐ Yes* ☐ No

If YES, is the homologous recombination deficiency positive status defined by deleterious or suspected deleterious BRCA mutation or defined by genomic instability? ☐ Yes (*If YES, select one of the following below) ☐ No

☐ Deleterious or suspected deleterious BRCA mutation OR ☐ Genomic instability

☐ Other (please specify): _____



**BlueCross
BlueShield**

Federal Employee Program

**BEVACIZUMAB
PRIOR APPROVAL REQUEST**

Additional information is required to process your claim for prescription drugs. Please complete the patient portion, and have the prescribing physician complete the physician portion and submit this completed form.

Send completed form to:
Service Benefit Plan
Prior Approval
P.O. Box 52080 MC 139
Phoenix, AZ 85072-2080
Attn: Clinical Services
Fax: 1-877-378-4727

Patient Information (required)				Provider Information (required)		
Date:				Provider Name:		
Patient Name:				Specialty:		NPI:
Date of Birth:	Sex: <input type="checkbox"/> Male <input type="checkbox"/> Female			Office Phone:		Office Fax:
Street Address:				Office Street Address:		
City:	State:	Zip:		City:	State:	Zip:
Patient ID:	R			Physician Signature:		
PHYSICIAN COMPLETES						

CONTINUATION OF THERAPY (PA RENEWAL)

NOTE: Form must be completed in its **entirety** for processing

Please select medication:

- ☐ Alimta (bevacizumab-maly)
 ☐ Avastin (bevacizumab)
 ☐ Mvasi (bevacizumab-awwb)
☐ Vegzelma (bevacizumab-adcd)
 ☐ Zirabev (bevacizumab-bvzr)

****Check www.fepblue.org/formulary to confirm which medication is part of the patient's benefit**

1. Has the patient been on this medication continuously for the last **6 months** excluding samples? *Please select answer below:*

- ☐ **NO** - this is **INITIATION** of therapy, please answer the questions on **PAGE 1**
☐ **YES** - this is a PA renewal for **CONTINUATION** of therapy, please answer the questions below:

2. Is this request for brand or generic? ☐ Brand ☐ Generic

3. What is the patient's diagnosis?

☐ Glioblastoma multiforme (GBM)

a. Will this medication be used as a single-agent therapy? ☐ Yes ☐ No

☐ Metastatic cervical cancer **OR** ☐ Persistent cervical cancer **OR** ☐ Recurrent cervical cancer

a. Will the patient be treated with paclitaxel (Taxol)? ☐ Yes ☐ No

b. Will the patient be treated with cisplatin? ☐ Yes ☐ No*

***If NO**, will the patient be treated with topotecan (Hycamtin)? ☐ Yes ☐ No

☐ Metastatic colorectal cancer

a. Is this medication being used as first-line treatment? *Please select answer below:*

☐ **Yes, first-line treatment:** Is the patient receiving concurrent IV chemotherapy with 5-Fluorouracil (5-FU)? ☐ Yes ☐ No

☐ **No:** Will the patient be receiving concurrent therapy with ONE of the following regimens: fluoropyrimidine and irinotecan-based chemotherapy, fluoropyrimidine and oxaliplatin-based chemotherapy, 5-fluorouracil-based chemotherapy, or trifluridine and tipiracil (Lonsurf)? ☐ Yes* ☐ No

***If YES**, select answer: ☐ 5-Fluorouracil-based chemotherapy ☐ Fluoropyrimidine-irinotecan based chemotherapy

☐ Fluoropyrimidine-oxaliplatin based chemotherapy ☐ Trifluridine and tipiracil (Lonsurf)

☐ Metastatic hepatocellular carcinoma (HCC) **OR** ☐ Unresectable hepatocellular carcinoma (HCC)

a. Will this medication be given in combination with atezolizumab (Tecentriq)? ☐ Yes ☐ No

☐ Metastatic renal cell carcinoma

a. Will the patient be receiving concurrent therapy with interferon-alfa? ☐ Yes ☐ No

☐ Non-squamous non-small cell lung cancer

a. Will the patient be receiving concurrent therapy with carboplatin and paclitaxel? ☐ Yes ☐ No

PLEASE PROCEED TO PAGE 4 FOR ADDITIONAL DIAGNOSES

PAGE 3 of 4



Federal Employee Program.

**BEVACIZUMAB
PRIOR APPROVAL REQUEST**

Additional information is required to process your claim for prescription drugs. Please complete the patient portion, and have the prescribing physician complete the physician portion and submit this completed form.

Send completed form to:
Service Benefit Plan
Prior Approval
P.O. Box 52080 MC 139
Phoenix, AZ 85072-2080
Attn: Clinical Services
Fax: 1-877-378-4727

PAGE 2 - PHYSICIAN COMPLETES

Patient Name: _____ DOB: _____ Patient ID: R _____

☐ Ocular disease resulting from intravitreal neovascularization including:

a. Please select one of the following below:

- | | | |
|---|---|---|
| <input type="checkbox"/> Angioid streaks | <input type="checkbox"/> Ocular histoplasmosis | <input type="checkbox"/> Macular edema secondary to retinal vascular occlusion |
| <input type="checkbox"/> Diabetic macular edema | <input type="checkbox"/> Progressive high myopia | <input type="checkbox"/> Neovascular (Wet) Age-related Macular Degeneration (AMD) |
| <input type="checkbox"/> Neovascular glaucoma | <input type="checkbox"/> Retinopathy of prematurity | <input type="checkbox"/> Proliferative diabetic retinopathy |

b. Will this medication be used in combination with other Vascular Endothelial Growth Factor (VEGF) inhibitors for ocular indications? ☐ Yes* ☐ No

***If YES**, please specify the medication: _____
***VEGF Inhibitors:** Beovu (brolucizumab-dbl), Eylea/Eylea HD (aflibercept), Lucentis (ranibizumab), Susvimo (ranibizumab), Vabysmo (faricimab-svoa)

☐ Epithelial ovarian cancer **OR** ☐ Fallopian tube cancer **OR** ☐ Primary peritoneal cancer

a. Will this medication be used as single agent therapy post initial surgical resection? ☐ Yes ☐ No

b. Is the cancer recurrent platinum resistant or recurrent platinum sensitive? ☐ Yes* ☐ Cancer is not recurrent

***If YES**, please select one of the following:

☐ **Recurrent Platinum Resistant:** Will this medication be given concurrently with paclitaxel (Taxol/Onxal), pegylated liposomal doxorubicin (Doxil/Caelyx), or topotecan (Hycamtin)? ☐ Yes* ☐ No

***If YES**, please select one of the following below:

☐ paclitaxel (Taxol/Onxal) ☐ pegylated liposomal doxorubicin (Doxil/Caelyx) ☐ topotecan (Hycamtin)

☐ **Recurrent Platinum Sensitive:** Will this medication be used as single agent therapy? ☐ Yes ☐ No

c. Is the patient's cancer considered to be advanced? ☐ Yes* ☐ No

***If YES**, will this medication be given in combination with olaparib (Lynparza)? ☐ Yes ☐ No

☐ Other (please specify): _____

PAGE 4 of 4