



**BlueCross
BlueShield**

Federal Employee Program

IVIG (INTRAVENOUS IMMUNOGLOBULIN)

PRIOR APPROVAL REQUEST

Additional information is required to process your claim for prescription drugs. Please complete the patient portion, and have the prescribing physician complete the physician portion and submit this completed form.

Send completed form to:
Service Benefit Plan
Prior Approval
P.O. Box 52080 MC 139
Phoenix, AZ 85072-2080
Attn: Clinical Services
Fax: 1-877-378-4727

Patient Information (required)				Provider Information (required)		
Date:				Provider Name:		
Patient Name:				Specialty:		NPI:
Date of Birth:	Sex: <input type="checkbox"/> Male <input type="checkbox"/> Female			Office Phone:		Office Fax:
Street Address:				Office Street Address:		
City:	State:	Zip:		City:	State:	Zip:
Patient ID:	R <input type="text"/>			Physician Signature:		
PHYSICIAN COMPLETES						

NOTE: Form must be completed in its **entirety** for processing

Please select medication:

- | | | | | | |
|----------------------------------|-------------------------------------|---------------------------------------|------------------------------------|------------------------------------|-----------------------------------|
| <input type="checkbox"/> Alyglo | <input type="checkbox"/> Bivigam | <input type="checkbox"/> Gammagard | <input type="checkbox"/> Gammaked | <input type="checkbox"/> Gamunex-C | <input type="checkbox"/> Panzyga |
| <input type="checkbox"/> Asceniv | <input type="checkbox"/> Flebogamma | <input type="checkbox"/> Gammaked S/D | <input type="checkbox"/> Gammaplex | <input type="checkbox"/> Octagam | <input type="checkbox"/> Privigen |

****Check www.fepblue.org/formulary to confirm which medication is part of the patient's benefit**

- Has the patient been on this medication continuously for the last **6 months**, excluding samples? *Please select answer below:*
☐ **YES** – this is a PA renewal for **CONTINUATION** of therapy, please answer the questions on **PAGE 5**
☐ **NO** – this is **INITIATION** of therapy, please answer the questions below:
- Is this request for brand or generic? ☐ Brand ☐ Generic
- Will this medication be filled at a pharmacy or billed through medical plan or office billing? ☐ Pharmacy ☐ Medical plan/Office billing
- Will the medication be self-administered? *Please select answer below:*
☐ **Yes:** Has the patient or their caregiver been instructed on how to monitor for signs and symptoms of thrombosis when self-administering the medication? ☐ Yes ☐ No
☐ **No:** Will the patient be monitored carefully for signs and symptoms of thrombosis both at the time of infusion and after infusion? ☐ Yes ☐ No
- Will this medication be used in combination with another immunoglobulin medication? ☐ Yes* ☐ No
**If YES, specify the medication:* _____
- What is the patient's diagnosis?

<input type="checkbox"/> Fetal Alloimmune Thrombocytopenia (F/NAIT)	<input type="checkbox"/> Multiple sclerosis
<input type="checkbox"/> Inclusion-body myositis	<input type="checkbox"/> Parvovirus B 19-induced Pure Red Cell Aplasia (PRCA)
<input type="checkbox"/> Kawasaki syndrome	<input type="checkbox"/> Peripheral Blood Progenitor Cell (PBPC) collection
<input type="checkbox"/> Lambert-Eaton Myasthenic Syndrome (LEMS)	<input type="checkbox"/> Umbilical cord stem cell transplantation
<input type="checkbox"/> Agammaglobulinemia	
a. Has the patient's diagnosis been confirmed by genetic or molecular testing? <input type="checkbox"/> Yes <input type="checkbox"/> No	
b. Does the patient have a pre-treatment IgG level less than 200mg/dL? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Ataxia-telangiectasia OR <input type="checkbox"/> DiGeorge syndrome OR <input type="checkbox"/> Wiskott-Aldrich syndrome	
a. Has the patient's diagnosis been confirmed by genetic or molecular testing? <input type="checkbox"/> Yes <input type="checkbox"/> No	
b. Does the patient have a documented history of recurrent bacterial and viral infections? <input type="checkbox"/> Yes <input type="checkbox"/> No	
c. Does the patient have an impaired antibody response to the pneumococcal vaccine? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Autoimmune encephalitis	
a. Has the diagnosis been confirmed with TWO of the following tests: neuroimaging, electroencephalography (EEG), lumbar puncture, or serologic testing? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Bone Marrow Transplantation (BMT) OR <input type="checkbox"/> Hematopoietic Stem Cell Transplant (HSCT) recipients	
a. Is the medication being prescribed for prophylaxis of bacterial and viral infections? <input type="checkbox"/> Yes <input type="checkbox"/> No	
b. Has the patient received a transplant in the last 100 days? <input type="checkbox"/> Yes <input type="checkbox"/> No*	
<i>*If NO, does the patient have a pre-treatment serum IgG level less than 400 mg/dL? <input type="checkbox"/> Yes <input type="checkbox"/> No</i>	

PLEASE PROCEED TO PAGE 2 FOR ADDITIONAL DIAGNOSES

PAGE 1 of 6



**BlueCross
BlueShield**

Federal Employee Program

IVIG (INTRAVENOUS IMMUNOGLOBULIN)

PRIOR APPROVAL REQUEST

Additional information is required to process your claim for prescription drugs. Please complete the patient portion, and have the prescribing physician complete the physician portion and submit this completed form.

Send completed form to:
Service Benefit Plan
Prior Approval
P.O. Box 52080 MC 139
Phoenix, AZ 85072-2080
Attn: Clinical Services
Fax: 1-877-378-4727

PAGE 2 - PHYSICIAN COMPLETES

Patient Name: _____ DOB: _____ Patient ID: R _____

☐ Chronic Inflammatory Demyelinating Polyneuropathy (CIDP)

a. Does the patient have moderate to severe functional disability? ☐ Yes ☐ No

b. Has the patient had electrodiagnostic studies that are consistent with multifocal demyelinating abnormalities? ☐ Yes ☐ No

☐ Chronic Lymphocytic Leukemia (CLL)

a. Does the patient have B-cell chronic lymphocytic leukemia? ☐ Yes ☐ No

b. Is this medication being prescribed for prophylaxis of bacterial and viral infections? ☐ Yes ☐ No

c. Is there a documented history of recurrent sinopulmonary infections requiring intravenous antibiotics or hospitalization? ☐ Yes ☐ No

d. Does the patient have a pre-treatment serum IgG level less than 500 mg/dL? ☐ Yes ☐ No

☐ Common Variable Immunodeficiency Disease (CVID)

a. Does the patient have a documented history of recurrent bacterial and viral infections? ☐ Yes ☐ No

b. Does the patient have an impaired antibody response to the pneumococcal vaccine? ☐ Yes ☐ No

c. Have other causes of immune deficiency been excluded including drug-induced, genetic disorders, infectious diseases such as HIV, or malignancy? ☐ Yes ☐ No

d. Does the patient have a pre-treatment IgG level of less than 500 mg/dL? ☐ Yes ☐ No*

**If NO*, does the patient have a pre-treatment IgG equivalent to 2 or more standard deviations below the mean for the age of the patient? ☐ Yes ☐ No

☐ Dermatomyositis OR ☐ Polymyositis

a. Does the patient have documented clinical features such as elevated muscle enzymes, muscle biopsy, or supportive diagnostic tests? ☐ Yes ☐ No

b. Does the patient have an intolerance or contraindication or have they had an inadequate treatment response to first-line treatments such as corticosteroids or immunosuppressants? ☐ Yes ☐ No

☐ End-Stage Renal Disease (ESRD)

a. Will this medication be used to improve the chances of successful kidney transplantation? ☐ Yes ☐ No

☐ Guillain-Barre Syndrome (GBS)

a. Has the patient's physical mobility been severely affected requiring the patient to use an aid to walk? ☐ Yes ☐ No

b. Will IVIG therapy be initiated within two weeks of the onset of symptoms? ☐ Yes ☐ No

☐ HIV infections

a. Is the medication being prescribed for prophylaxis of bacterial and viral infections? ☐ Yes ☐ No

b. Is this medication being used for primary or secondary prophylaxis? *Please select answer below:*

☐ **Primary Prophylaxis:** Does the patient have a pre-treatment serum IgG level less than 400 mg/dL? ☐ Yes ☐ No

☐ **Secondary Prophylaxis:** Please answer the following questions:

i. Does the patient have documentation of recurrent bacterial and viral infections (greater than 2 serious infections in a year)? ☐ Yes ☐ No

ii. Does the patient have a contraindication to taking combination antiretroviral therapy? ☐ Yes ☐ No

iii. Has antibiotic prophylaxis been found to be ineffective for this patient? ☐ Yes ☐ No

☐ Hypogammaglobulinemia

a. Does the patient have a pre-treatment IgG less than 500 mg/dL? ☐ Yes ☐ No*

**If NO*, does the patient have a pre-treatment IgG equivalent to 2 or more standard deviations below the mean for the patient's age? ☐ Yes ☐ No

b. Does the patient have a documented history of recurrent bacterial and viral infections? ☐ Yes ☐ No

c. Does the patient have an impaired antibody response to the pneumococcal vaccine? ☐ Yes ☐ No

PLEASE PROCEED TO PAGE 3 FOR ADDITIONAL DIAGNOSES

PAGE 2 of 6



**BlueCross
BlueShield**

Federal Employee Program

IVIG (INTRAVENOUS IMMUNOGLOBULIN)

PRIOR APPROVAL REQUEST

Additional information is required to process your claim for prescription drugs. Please complete the patient portion, and have the prescribing physician complete the physician portion and submit this completed form.

Send completed form to:
Service Benefit Plan
Prior Approval
P.O. Box 52080 MC 139
Phoenix, AZ 85072-2080
Attn: Clinical Services
Fax: 1-877-378-4727

PAGE 3 - PHYSICIAN COMPLETES

Patient Name: _____ DOB: _____ Patient ID: R _____

☐ IgG subclass deficiency

- Does the patient have a pre-treatment IgG1, IgG2, or IgG3 equivalent to 2 or more standard deviations below the mean for the patient's age on at least two occasions? ☐ Yes ☐ No
- Does the patient have IgG (total) and IgM levels within normal limits? ☐ Yes* ☐ No
*If YES, does the patient have IgA levels within low to normal limits? ☐ Yes ☐ No
- Does the patient have a documented history of recurrent bacterial and viral infections? ☐ Yes ☐ No
- Does the patient have an impaired antibody response to the pneumococcal vaccine? ☐ Yes ☐ No

☐ Multifocal Motor Neuropathy (MMN)

- Is the patient experiencing weakness without *objective sensory loss in two or more nerves? ☐ Yes ☐ No
*Objective Sensory Loss: decreased reflexes, motor weakness, muscle wasting, trophic skin, join changes
- Has the patient had electrodiagnostic studies that are consistent with motor conduction block? ☐ Yes ☐ No
- Has the patient had sensory nerve conduction studies that are normal? ☐ Yes ☐ No

☐ Myasthenia gravis

- Has the patient experienced an increase in any of the following symptoms: diplopia (double vision), ptosis (drooping eyelid), blurred vision, dysarthria (difficulty in speech), dysphagia (difficulty swallowing), difficulty chewing, impaired respiratory status, fatigue, or limb weakness? ☐ Yes ☐ No*
*If NO, has the patient had *pre-operative management? ☐ Yes ☐ No
*Pre-Operative Management: cholinesterase inhibitors, corticosteroids, or immunosuppressants

☐ Secondary immunosuppression

- Does the patient have secondary immunosuppression associated with hematological malignancy? ☐ Yes ☐ No
- Does the patient have a pre-treatment IgG level of less than 500mg/dL? ☐ Yes ☐ No*
*If NO, does the patient have a pre-treatment IgG equivalent to 2 or more standard deviations below the mean for the patient's age? ☐ Yes ☐ No
- Does the patient have a documented history of recurrent bacterial and viral infections? ☐ Yes ☐ No
- Does the patient have an impaired antibody response to the pneumococcal vaccine? ☐ Yes ☐ No

☐ Selective IgA deficiency

- Does the patient have a pre-treatment IgA level of less than 7mg/dL? ☐ Yes* ☐ No
*If YES, does the patient have IgG and IgM levels within normal limits? ☐ Yes ☐ No
- Does the patient have a documented history of recurrent bacterial and viral infections? ☐ Yes ☐ No
- Does the patient have an impaired antibody response to the pneumococcal vaccine? ☐ Yes ☐ No

☐ Selective IgM deficiency

- Does the patient have a pre-treatment IgM level of less than 30mg/dL? ☐ Yes* ☐ No
*If YES, does the patient have IgG and IgA levels within normal limits? ☐ Yes ☐ No
- Does the patient have a documented history of recurrent bacterial and viral infections? ☐ Yes ☐ No
- Does the patient have an impaired antibody response to the pneumococcal vaccine? ☐ Yes ☐ No

☐ Severe Combined Immunodeficiency Disease (SCID)

- Does the patient have an absence or very low number of T cells (CD3 T cells less than 300/microliter)? ☐ Yes ☐ No*
*If NO, is there a presence of maternal T cells in the circulation? ☐ Yes ☐ No
- Has the patient's diagnosis been confirmed by genetic or molecular testing? ☐ Yes ☐ No
- Does the patient have a pre-treatment IgG less than 200 mg/dL? ☐ Yes ☐ No

☐ Specific antibody deficiency

- Does the patient have a specific antibody deficiency with IgG, IgA, and IgM levels within normal limits? ☐ Yes ☐ No
- Does the patient have a documented history of recurrent bacterial and viral infections? ☐ Yes ☐ No
- Does the patient have an impaired antibody response to the pneumococcal vaccine? ☐ Yes ☐ No

PLEASE PROCEED TO PAGE 4 FOR ADDITIONAL DIAGNOSES

PAGE 3 of 6



**BlueCross
BlueShield**

Federal Employee Program

IVIG (INTRAVENOUS IMMUNOGLOBULIN)

PRIOR APPROVAL REQUEST

Additional information is required to process your claim for prescription drugs. Please complete the patient portion, and have the prescribing physician complete the physician portion and submit this completed form.

Send completed form to:
Service Benefit Plan
Prior Approval
P.O. Box 52080 MC 139
Phoenix, AZ 85072-2080
Attn: Clinical Services
Fax: 1-877-378-4727

PAGE 4 - PHYSICIAN COMPLETES

Patient Name: _____ DOB: _____ Patient ID: R _____

☐ Stiff-person syndrome

- a. Does the patient have an intolerance or contraindication or have they had an inadequate treatment response to first-line treatment (benzodiazepine or baclofen)? ☐ Yes ☐ No

☐ Idiopathic Thrombocytopenic Purpura (ITP)

- a. **FEMALE Patient:** Is the patient of reproductive potential? ☐ Yes* ☐ No

*If YES, is the patient currently pregnant? ☐ Yes ☐ No

- b. Has the patient been diagnosed with ITP within the past three months? *Please select answer below:*

☐ Yes: Please answer the following questions:

- i. **Age 17 or Younger**, please answer the following questions:

- 1) Does the patient have significant bleeding symptoms such as mucosal bleeding or moderate to severe bleeding? ☐ Yes ☐ No
- 2) Is the patient at high risk for bleeding? ☐ Yes ☐ No
- 3) Does the patient require a rapid increase in platelets due to a surgery or procedure? ☐ Yes ☐ No

- ii. **Age 18 or Older**, please answer the following questions:

- 1) What is the patient's platelet count? *Please select answer below:*

☐ Less than 30,000/mcL

☐ 30,000 to 49,999/mcL, please answer the following question:

- a) Does the patient have significant bleeding symptoms, a high risk for bleeding, or a requirement for a rapid increase in platelets? ☐ Yes ☐ No

☐ 50,000/mcL or higher

- 2) Will IVIG be used in combination with corticosteroid therapy? ☐ Yes ☐ No*

*If NO, does the patient have a contraindication to corticosteroid therapy? ☐ Yes ☐ No

☐ No: Please answer the questions below:

- i. Is the patient experiencing refractory ITP following a splenectomy? *Please select answer below:*

☐ Yes: Does the patient have a platelet count less than 30,000/mcL (per microliter)? ☐ Yes ☐ No*

*If NO, does the patient have significant bleeding symptoms? ☐ Yes ☐ No

☐ No: Please answer the following questions:

- 1) What is the patient's platelet count? *Please select answer below:*

☐ Less than 30,000/mcL

☐ 30,000/mcL to 49,999/mcL, please answer the following question:

- a) Does the patient have significant bleeding or is at high risk for bleeding or have a requirement for a rapid increase in platelets? ☐ Yes ☐ No

☐ 50,000/mcL or higher

- 2) Has the patient had a relapse after a previous response to IVIG? ☐ Yes ☐ No

- 3) Does the patient have an intolerance or contraindication or have they had an inadequate treatment response to corticosteroid therapy? ☐ Yes ☐ No

☐ Other non-SCID combined immunodeficiency (*please specify*): _____

- a. Has the patient's diagnosis been confirmed by genetic or molecular testing? ☐ Yes ☐ No

- b. Does the patient have a documented history of recurrent bacterial and viral infections? ☐ Yes ☐ No

- c. Does the patient have an impaired antibody response to the pneumococcal vaccine? ☐ Yes ☐ No

☐ Other diagnosis (*please specify*): _____



**BlueCross
BlueShield**

Federal Employee Program

IVIG (INTRAVENOUS IMMUNOGLOBULIN)

PRIOR APPROVAL REQUEST

Additional information is required to process your claim for prescription drugs. Please complete the patient portion, and have the prescribing physician complete the physician portion and submit this completed form.

Send completed form to:
Service Benefit Plan
Prior Approval
P.O. Box 52080 MC 139
Phoenix, AZ 85072-2080
Attn: Clinical Services
Fax: 1-877-378-4727

Patient Information (required)				Provider Information (required)			
Date:				Provider Name:			
Patient Name:				Specialty:		NPI:	
Date of Birth:		Sex: <input type="checkbox"/> Male <input type="checkbox"/> Female		Office Phone:		Office Fax:	
Street Address:				Office Street Address:			
City:		State:	Zip:	City:		State:	Zip:
Patient ID: R				Physician Signature:			
PHYSICIAN COMPLETES							

CONTINUATION OF IVIG THERAPY (PA RENEWAL)

NOTE: Form must be completed in its **entirety** for processing

Please select medication:

<input type="checkbox"/> Alyglo	<input type="checkbox"/> Bivigam	<input type="checkbox"/> Gammagard	<input type="checkbox"/> Gammaked	<input type="checkbox"/> Gamunex-C	<input type="checkbox"/> Panzyga
<input type="checkbox"/> Asceniv	<input type="checkbox"/> Flebogamma	<input type="checkbox"/> Gammaked S/D	<input type="checkbox"/> Gammaplex	<input type="checkbox"/> Octagam	<input type="checkbox"/> Privigen

**Check www.fepblue.org/formulary to confirm which medication is part of the patient's benefit

- Has the patient been on this medication continuously for the last **6 months, excluding samples**? *Please select answer below*
☐ **NO** – this is **INITIATION** of therapy, please answer the questions on **PAGE 1**
☐ **YES** – this is a PA renewal for **CONTINUATION** of therapy, please answer the questions below:
- Is this request for brand or generic? ☐ Brand ☐ Generic
- Will this medication be filled at a pharmacy or billed through medical plan or office billing? ☐ Pharmacy ☐ Medical plan/Office billing
- Will the medication be self-administered? *Please select answer below:*
☐ **Yes:** Has the patient or their caregiver been instructed on how to monitor for signs and symptoms of thrombosis when self-administering the medication? ☐ Yes ☐ No
☐ **No:** Will the patient be monitored carefully for signs and symptoms of thrombosis both at the time of infusion and after infusion? ☐ Yes ☐ No
- Will this medication be used in combination with another immunoglobulin medication? ☐ Yes* ☐ No
**If YES, specify the medication:* _____
- What is the patient diagnosis?

<input type="checkbox"/> Fetal Alloimmune Thrombocytopenia (F/NAIT)	<input type="checkbox"/> Multiple sclerosis
<input type="checkbox"/> Guillain-Barre Syndrome (GBS)	<input type="checkbox"/> Myasthenia gravis
<input type="checkbox"/> Idiopathic Thrombocytopenic Purpura (ITP)	<input type="checkbox"/> Parvovirus B 19-induced Pure Red Cell Aplasia (PRCA)
<input type="checkbox"/> Inclusion-body myositis	<input type="checkbox"/> Peripheral Blood Progenitor Cell (PBPC) collection
<input type="checkbox"/> Kawasaki syndrome	<input type="checkbox"/> Stiff-person syndrome
<input type="checkbox"/> Lambert-Eaton Myasthenic Syndrome (LEMS)	<input type="checkbox"/> Umbilical cord stem cell transplantation
<input type="checkbox"/> Autoimmune encephalitis	

 - Has the patient had a neurological exam that confirmed an improvement and maintenance of improvement since initiation of therapy? ☐ Yes ☐ No
- ☐ Bone Marrow Transplantation (BMT) **OR** ☐ Hematopoietic Stem Cell Transplantation (HSCT) recipients
 - Is the medication being prescribed for prophylaxis of bacterial and viral infections? ☐ Yes ☐ No
 - Has the patient had a documented reduction in frequency of bacterial and viral infections since initiation of therapy? ☐ Yes ☐ No

PLEASE PROCEED TO PAGE 6 FOR ADDITIONAL DIAGNOSES

PAGE 5 of 6



**BlueCross
BlueShield**

Federal Employee Program

IVIG (INTRAVENOUS IMMUNOGLOBULIN)

PRIOR APPROVAL REQUEST

Additional information is required to process your claim for prescription drugs. Please complete the patient portion, and have the prescribing physician complete the physician portion and submit this completed form.

Send completed form to:
Service Benefit Plan
Prior Approval
P.O. Box 52080 MC 139
Phoenix, AZ 85072-2080
Attn: Clinical Services
Fax: 1-877-378-4727

PAGE 6 - PHYSICIAN COMPLETES

Patient Name: _____ DOB: _____ Patient ID: R _____

☐ Chronic Inflammatory Demyelinating Polyneuropathy (CIDP)

- Is the IVIG being used at the lowest effective dose and frequency? ☐ Yes ☐ No
- Have chronic stable patients been tapered and/or had treatment withdrawn to determine whether continued treatment is necessary? ☐ Yes ☐ No
- Has the patient had a significant improvement in disability and maintenance of improvement since initiation of therapy? ☐ Yes ☐ No

☐ Chronic Lymphocytic Leukemia (CLL)

- Does the patient have B-cell chronic lymphocytic leukemia? ☐ Yes ☐ No
- Has the patient had a documented reduction in frequency of bacterial and viral infections since initiation of therapy? ☐ Yes ☐ No

☐ Dermatomyositis OR ☐ Polymyositis

- Has the patient had a significant improvement in disability and maintenance of improvement since initiation? ☐ Yes ☐ No

☐ End-Stage Renal Disease (ESRD)

- Will this medication be used to improve the chances of successful kidney transplantation? ☐ Yes ☐ No

☐ HIV infections

- Is the medication being prescribed for prophylaxis of bacterial and viral infections? ☐ Yes ☐ No
- Has the patient had a documented reduction in frequency of bacterial and viral infections since initiation of therapy? ☐ Yes ☐ No

☐ Multifocal Motor Neuropathy (MMN)

- Has the patient had a significant improvement in disability and maintenance of improvement since initiation? ☐ Yes ☐ No

☐ Primary Immunodeficiency Disease (PID)

- Which type of primary immunodeficiency disease is this medication being used for? *Please select answer below:*

- | | | |
|--|---|--|
| <input type="checkbox"/> Agammaglobulinemia | <input type="checkbox"/> IgG subclass deficiency | <input type="checkbox"/> Common Variable Immunodeficiency Disease (CVID) |
| <input type="checkbox"/> Ataxia-telangiectasia | <input type="checkbox"/> Selective IgA deficiency | <input type="checkbox"/> Severe Combined Immunodeficiency Disease (SCID) |
| <input type="checkbox"/> DiGeorge syndrome | <input type="checkbox"/> Selective IgM deficiency | <input type="checkbox"/> Wiskott-Aldrich syndrome |
| <input type="checkbox"/> Hypogammaglobulinemia | <input type="checkbox"/> Specific antibody deficiency | |
| <input type="checkbox"/> Other non-SCID combined immunodeficiency (<i>please specify</i>): _____ | | |

☐ Other (*please specify*): _____

- Will the patient's IgG trough levels be monitored at least yearly and maintained at or above the lower range of normal for the patient's age? ☐ Yes ☐ No
- Has the patient had a documented reduction in frequency of bacterial and viral infections since initiation of therapy? ☐ Yes ☐ No
- Does the prescriber agree to re-evaluate the dose of the IVIG and, if necessary, reconsider a dose adjustment? ☐ Yes ☐ No

☐ Secondary immunosuppression

- Does the patient have secondary immunosuppression associated with hematological malignancy? ☐ Yes ☐ No
- Has the patient had a documented reduction in the frequency of bacterial and viral infections since initiation of therapy? ☐ Yes ☐ No

☐ Other diagnosis (*please specify*): _____

PAGE 6 of 6