

# Specialty Guideline Management

## Zynlonta

### Products Referenced by this Document

Drugs that are listed in the following table include both brand and generic and all dosage forms and strengths unless otherwise stated. Over-the-counter (OTC) products are not included unless otherwise stated.

| Brand Name | Generic Name                |
|------------|-----------------------------|
| Zynlonta   | loncastuximab tesirine-lpyl |

### Indications

The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met and the member has no exclusions to the prescribed therapy.

#### FDA-Approved Indications<sup>1</sup>

Zynlonta is indicated for the treatment of adult patients with relapsed or refractory large B-cell lymphoma after two or more lines of systemic therapy, including diffuse large B-cell lymphoma (DLBCL) not otherwise specified (NOS), DLBCL arising from low grade lymphoma, and high-grade B-cell lymphoma.

#### Compendial Uses<sup>2</sup>

- Histologic transformation of indolent lymphomas to diffuse large B-cell lymphoma
- Human immunodeficiency virus (HIV)-related B-cell lymphomas
- Post-transplant lymphoproliferative disorders

All other indications are considered experimental/investigational and not medically necessary.

## Documentation

Submission of the following information is necessary to initiate the prior authorization review:

Chart notes, medical record documentation or claims history supporting previous lines of therapy.

## Coverage Criteria

### Large B-cell Lymphoma<sup>1,2</sup>

Authorization of 12 months may be granted for treatment of large B-cell lymphoma (e.g., DLBCL NOS, DLBCL arising from low grade lymphoma, high-grade B-cell lymphoma) when the member has partial response, no response, relapsed, progressive or refractory disease and all of the following criteria are met:

- The member has received two or more prior lines of systemic therapy.
- The requested medication will be used as a single agent.

### Histologic Transformation of Indolent Lymphomas to Diffuse Large B-cell Lymphoma<sup>2</sup>

Authorization of 12 months may be granted for treatment of histologic transformation of indolent lymphomas to diffuse large B-cell lymphoma when the member has partial response, no response, progressive or relapsed disease and all of the following criteria are met:

- The member has received treatment with an anthracycline-based regimen (e.g., doxorubicin)
- The member is not a candidate for transplant.

### HIV-Related B-cell Lymphomas<sup>2</sup>

Authorization of 12 months may be granted for treatment of HIV-related diffuse large B-cell lymphoma, primary effusion lymphoma, and human herpesvirus-8 (HHV8)-positive diffuse large B-cell lymphoma when the member has partial response, relapsed, progressive or refractory disease and all of the following criteria are met:

- The member has received two or more lines of systemic therapy.
- The requested medication will be used as a single agent.

### Post-Transplant Lymphoproliferative Disorders (PTLD)<sup>2</sup>

Authorization of 12 months may be granted for treatment of monomorphic PTLD (B-cell type) when the member has partial response, relapsed, progressive or refractory disease and all of the following criteria are met:

| Reference number(s) |
|---------------------|
| 4699-A              |

- The member has received two or more lines of systemic therapy.
- The requested medication will be used as a single agent.

## Continuation of Therapy

Authorization of 12 months may be granted for continued treatment in members requesting reauthorization for an indication listed in the coverage criteria section when there is no evidence of unacceptable toxicity or disease progression while on the current regimen.

## References

1. Zynlonta [package insert]. Murray Hill, NJ: ADC Therapeutics America; October 2022.
2. The NCCN Drugs & Biologics Compendium® © 2025 National Comprehensive Cancer Network, Inc. Available at: <https://www.nccn.org>. Accessed April 9, 2025.