

Specialty Guideline Management

Factor VIII Concentrates

Products Referenced by this Document

Drugs that are listed in the following table include both brand and generic and all dosage forms and strengths unless otherwise stated. Over-the-counter (OTC) products are not included unless otherwise stated.

Brand Name	Generic Name
Advate	antihemophilic factor [recombinant]
Adynovate	antihemophilic factor [recombinant], PEGylated
Alphanate	antihemophilic factor/von Willebrand factor complex [human]
Altuviiio	antihemophilic factor [recombinant], Fc-VWF-XTEN fusion protein-ehtl
Afstyla	antihemophilic factor [recombinant], single chain
Eloctate	antihemophilic factor [recombinant], Fc fusion protein
Esperoct	antihemophilic factor [recombinant], Glycopegylated-exei
Hemofil M	antihemophilic factor [human] monoclonal antibody purified
Humate-P	antihemophilic factor/von Willebrand factor complex [human]
Jivi	antihemophilic factor [recombinant], PEGylated-aucl
Koate	antihemophilic factor [human]
Kogenate FS	antihemophilic factor [recombinant]
Kovaltry	antihemophilic factor [recombinant]

Reference number(s)
1937-A, 1938-A, 1946-A, 1939-A, 1945-A, 2688-A

Brand Name	Generic Name
Novoeight	antihemophilic factor [recombinant]
Nuwiq	antihemophilic factor [recombinant]
Recombinate	antihemophilic factor [recombinant]
Xyntha	antihemophilic factor [recombinant]

Indications

The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met and the member has no exclusions to the prescribed therapy.

All other indications are considered experimental/investigational and not medically necessary.

Table: Factor VIII Concentrates and Covered Uses^{1-19,20-24,34,35}

Recombinant Factor VIII Concentrates

Brand	Generic	FDA-Approved Indication(s)	Compendial Indication(s)
Advate	antihemophilic factor [recombinant]	Hemophilia A	Acquired Hemophilia A
Afstyla	antihemophilic factor [recombinant], single chain	Hemophilia A	-
Kogenate FS	antihemophilic factor [recombinant]	Hemophilia A	Acquired Hemophilia A
Kovaltry	antihemophilic factor [recombinant]	Hemophilia A	-
Novoeight	antihemophilic factor [recombinant]	Hemophilia A	Acquired Hemophilia A
Nuwiq	antihemophilic factor [recombinant]	Hemophilia A	-
Recombinate	antihemophilic factor [recombinant]	Hemophilia A	Acquired Hemophilia A
Xyntha	antihemophilic factor [recombinant]	Hemophilia A	Acquired Hemophilia A

Reference number(s)
1937-A, 1938-A, 1946-A, 1939-A, 1945-A, 2688-A

Extended Half-life Recombinant Factor VIII Concentrates

Brand	Generic	FDA-Approved Indication(s)	Compendial Indication(s)
Adynovate	antihemophilic factor [recombinant], PEGylated	Hemophilia A	-
Altuviiio	antihemophilic factor [recombinant], Fc-VWF-XTEN fusion protein-ehtl	Hemophilia A	-
Eloctate	antihemophilic factor [recombinant], Fc fusion protein	Hemophilia A	-
Jivi	antihemophilic factor [recombinant], PEGylated-aucl	Hemophilia A	-
Esperoct	antihemophilic factor [recombinant], Glycopegylated-exei	Hemophilia A	-

Human Plasma-Derived Factor VIII Concentrate

Brand	Generic	FDA-Approved Indication(s)	Compendial Indication(s)
Hemofil M	antihemophilic factor [human] monoclonal antibody purified	Hemophilia A	Acquired Hemophilia A

Human Plasma-Derived Factor VIII Concentrates That Contain Von Willebrand Factor

Brand	Generic	FDA-Approved Indication(s)	Compendial Indication(s)
Alphanate	antihemophilic factor/von Willebrand factor complex [human]	Hemophilia A, von Willebrand Disease	Acquired Hemophilia A, Acquired von Willebrand Syndrome
Humate-P	antihemophilic factor/von Willebrand factor complex [human]	Hemophilia A, von Willebrand Disease	Acquired Hemophilia A, Acquired von Willebrand Syndrome
Koate	antihemophilic factor [human]	Hemophilia A	Acquired Hemophilia A, von Willebrand Disease

Reference number(s)
1937-A, 1938-A, 1946-A, 1939-A, 1945-A, 2688-A

Prescriber Specialties

Must be prescribed by or in consultation with a hematologist.

Coverage Criteria

Hemophilia A^{1,19,24,25,32,34,35}

Authorization of 12 months of Advate, Adynovate, Afstyla, Alphanate, Altuviiio, Eloctate, Esperoct, Hemofil M, Humate-P, Koate, Kogenate FS, Kovaltry, Novoeight, Nuwiq, Recombinate, or Xyntha may be granted for treatment of hemophilia A when either of the following criteria is met:

- Member has mild disease (see Appendix A) and has had an insufficient response to desmopressin or a documented clinical reason for not using desmopressin (see Appendix B).
- Member has moderate or severe disease (see Appendix A).

Authorization of 12 months of Jivi may be granted for treatment of hemophilia A when BOTH of the following criteria are met:

- Member has previously received treatment for hemophilia A with a factor VIII product.
- Member is ≥ 7 years of age.

Von Willebrand Disease (VWD)^{20,21,23,24}

Authorization of 12 months of Alphanate, Humate-P, or Koate may be granted for treatment of VWD when any of the following criteria is met:

- Member has type 1, 2A, 2M, or 2N VWD and has had an insufficient response to desmopressin or a documented clinical reason for not using desmopressin (see Appendix B).
- Member has type 2B or type 3 VWD.

Acquired Hemophilia A^{20,27,29}

Authorization of 12 months of Advate, Alphanate, Hemofil M, Humate-P, Koate, Kogenate FS, Novoeight, Recombinate, or Xyntha may be granted for treatment of acquired hemophilia A.

Acquired von Willebrand Syndrome^{21,23}

Authorization of 12 months of Alphanate or Humate-P may be granted for treatment of acquired von Willebrand syndrome.

Continuation of Therapy

Authorization of 12 months may be granted for continued treatment in members requesting reauthorization for an indication listed in the coverage criteria section when the member is experiencing benefit from therapy (e.g., reduced frequency or severity of bleeds).

Appendix

Appendix A: Classification of Hemophilia by Clotting Factor Level (% Activity) and Bleeding Episodes^{24,30}

Factor assay levels are required to determine the diagnosis and are of value in monitoring treatment response.²³

Severity	Clotting Factor Level % activity	Bleeding Episodes
Severe	<1%	Spontaneous bleeding episodes, predominantly into joints and muscles Severe bleeding with trauma, injury or surgery
Moderate	1% to 5%	Occasional spontaneous bleeding episodes Severe bleeding with trauma, injury or surgery
Mild	6% to 40%	Severe bleeding with serious injury, trauma or surgery

Appendix B: Clinical Reasons For Not Utilizing Desmopressin in Patients with Hemophilia A and Type 1, 2A, 2M and 2N VWD^{20,25,31,32}

- Age < 2 years
- Pregnancy
- Fluid/electrolyte imbalance
- High risk for cardiovascular or cerebrovascular disease (especially the elderly)
- Predisposition to thrombus formation
- Trauma requiring surgery
- Life-threatening bleed
- Contraindication or intolerance to desmopressin
- Severe type 1 von Willebrand disease
- Stimute Nasal Spray is unavailable due to backorder/shortage issues (where applicable)

Reference number(s)
1937-A, 1938-A, 1946-A, 1939-A, 1945-A, 2688-A

References

1. Advate [package insert]. Lexington, MA: Takeda Pharmaceuticals U.S.A., Inc.; March 2025.
2. Jivi [package insert]. Whippany, NJ: Bayer HealthCare LLC; May 2025.
3. Kogenate FS [package insert]. Whippany, NJ: Bayer HealthCare LLC; May 2016.
4. Kogenate FS with BIO-SET [package insert]. Whippany, NJ: Bayer HealthCare LLC; May 2016.
5. Kogenate FS with Vial Adapter [package insert]. Whippany, NJ: Bayer HealthCare LLC; December 2019.
6. Kovaltry [package insert]. Whippany, NJ: Bayer Healthcare LLC; December 2022.
7. Novoeight [package insert]. Plainsboro, NJ: Novo Nordisk Inc., July 2020.
8. Nuwiq [package insert]. Paramus, NJ: Octapharma USA, Inc., December 2024.
9. Recombinate with 5 mL Sterile Water for Injection using BAXAJECT II [package insert]. Lexington, MA: Takeda Pharmaceuticals U.S.A., Inc.; March 2025.
10. Xyntha [package insert]. Philadelphia, PA: Wyeth Pharmaceuticals LLC; July 2022.
11. Xyntha Solufuse [package insert]. Philadelphia, PA: Wyeth Pharmaceuticals LLC; July 2022.
12. Adynovate [package insert]. Lexington, MA: Takeda Pharmaceuticals U.S.A., Inc.; October 2025.
13. Afstylia [package insert]. Kankakee, IL: CSL Behring LLC.; June 2023.
14. Eloctate [package insert]. Waltham, MA: Bioverativ Therapeutics Inc.; May 2023.
15. Hemofil M [package insert]. Lexington, MA: Takeda Pharmaceuticals U.S.A., Inc.; February 2025.
16. Alphanate [package insert]. Los Angeles, CA: Grifols Biologicals LLC; November 2022.
17. Humate-P [package insert]. Kankakee, IL: CSL Behring LLC; June 2020.
18. Koate [package insert]. Research Triangle Park, NC: Grifols Therapeutics LLC; January 2022.
19. Koate-DVI [package insert]. Research Triangle Park, NC: Grifols Therapeutics LLC; August 2012.
20. AHFS DI (Adult and Pediatric) [database online]. Hudson, OH: Lexi-Comp, Inc.; http://online.lexi.com/lco/action/index/dataset/complete_ashp [available with subscription]. Accessed December 2, 2025.
21. National Institutes of Health. The diagnosis, evaluation, and management of von Willebrand disease. Bethesda, MD: US Dept of Health and Human Services, National Institutes of Health; 2007. NIH publication No. 08-5832.
22. Tiede A, Rand J, Budde U, et al. How I treat the acquired von Willebrand syndrome. *Blood*. 2011;117(25):6777-85.
23. Federici A, Budde U, Castaman G, Rand J, Tiede A. Current diagnostic and therapeutic approaches to patients with acquired von Willebrand syndrome: a 2013 update. *Semin Thromb Hemost*. 2013;39(2):191-201.
24. Srivastava A, Santagostino E, Dougall A, et al. WFH Guidelines for the Management of Hemophilia, 3rd edition. *Haemophilia*. 2020;26 Suppl 6:1-158. doi:10.1111/hae.14046.
25. National Hemophilia Foundation. MASAC Recommendations Concerning Products Licensed for the Treatment of Hemophilia and Selected Disorders of the Coagulation System. Revised August 2023. MASAC Document #290. <https://www.hemophilia.org/sites/default/files/document/files/MASAC-Products-Licensed.pdf>. Accessed December 2, 2025.

Reference number(s)
1937-A, 1938-A, 1946-A, 1939-A, 1945-A, 2688-A

26. National Hemophilia Foundation. MASAC recommendations regarding the treatment of von Willebrand disease. Revised February 2021. MASAC Document #266.
<https://www.hemophilia.org/sites/default/files/document/files/266.pdf>. Accessed December 2, 2025.
27. Acquired hemophilia. World Federation of Hemophilia. <http://www1.wfh.org/publications/files/pdf-1186.pdf>. Accessed December 2, 2025.
28. Tiede A, Collins P, Knoebl P, et al. International recommendations on the diagnosis and treatment of acquired hemophilia A. *Haematologica*. 2020;105(7):1791-1801. doi:10.3324/haematol.2019.230771.
29. Franchini M, Mannucci PM. Acquired haemophilia A: a 2013 update. *Thromb Haemost*. 2013;110(6):1114-20.
30. National Hemophilia Foundation. Hemophilia A (Factor VIII Deficiency). Available at: <http://www.hemophilia.org/NHFWeb/MainPgs/MainNHF.aspx?menuid=180&contentid=45&rpptname=bleeding>. Accessed December 2, 2025.
31. Stimate [package insert]. King of Prussia, PA: CSL Behring LLC; June 2021.
32. Leissinger C, Carcao M, Gill JC, et al. Desmopressin (DDAVP) in the management of patients with congenital bleeding disorders. *Haemophilia*. 2014;20:158-167.
33. Reding MT, NG HJ, Poulsen LH, et al. Safety and efficacy of BAY 94-9027, a prolonged-half-life factor VIII. *Journal of thrombosis and Haemostasis*. 2017; 15: 411-9.
34. Esperoct [package insert]. Plainsboro, NJ: Novo Nordisk Inc.; July 2024.
35. Altuviiiio [package insert]. Waltham, MA: Bioverativ Therapeutics Inc.; March 2025.