

Specialty Guideline Management

Vyondys 53

Products Referenced by this Document

Drugs that are listed in the following table include both brand and generic and all dosage forms and strengths unless otherwise stated. Over-the-counter (OTC) products are not included unless otherwise stated.

Brand Name	Generic Name
Vyondys 53	golodirsen

Indications

The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met and the member has no exclusions to the prescribed therapy.

FDA-approved Indications¹

Vyondys 53 is indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients who have a confirmed mutation of the DMD gene that is amenable to exon 53 skipping.

This indication is approved under accelerated approval based on an increase in dystrophin production in skeletal muscle observed in patients treated with Vyondys 53. Continued approval for this indication may be contingent upon verification of a clinical benefit in confirmatory trials.

All other indications are considered experimental/investigational and not medically necessary.

Documentation

Submission of the following information is necessary to initiate the prior authorization review:

- Initial requests:
 - Laboratory confirmation of Duchenne muscular dystrophy (DMD) diagnosis with a DMD gene mutation that is amenable to exon 53 skipping (refer to examples in Appendix).
 - If applicable, medical records confirming a worsening in clinical status since receiving gene replacement therapy.
- Continuation of therapy requests: documentation (e.g., chart notes) of response to therapy.

Prescriber Specialties

This medication must be prescribed by or in consultation with a physician who specializes in the treatment of Duchenne muscular dystrophy (DMD).

Coverage Criteria

Duchenne Muscular Dystrophy¹⁻³

Authorization of 6 months may be granted for treatment of DMD when all of the following criteria are met:

- Genetic testing was conducted to confirm the diagnosis of DMD and to identify the specific type of DMD gene mutation.
- The DMD gene mutation is amenable to exon 53 skipping (refer to examples in Appendix).
- Treatment with Vyondys 53 is initiated before the age of 16.
- Member is able to achieve an average distance of at least 250 meters while walking independently over 6 minutes.
- Member meets one of the following criteria:
 - Member has not previously received gene replacement therapy for DMD (e.g., Elevidys).
 - Member has previously received gene replacement therapy for DMD (e.g., Elevidys) and has experienced a worsening in clinical status since receiving gene replacement therapy (e.g., decline in ambulatory function).
- Member will not exceed a dose of 30 mg/kg once weekly.
- The requested medication will not be used concomitantly with viltolarsen.

Continuation of Therapy

Note: Members who were previously established on Vyondys 53 and subsequently administered gene replacement therapy (e.g., Elevidys) must meet all requirements in the coverage criteria section prior to re-starting Vyondys 53.

Authorization of 12 months may be granted for members requesting continuation of therapy when all of the following criteria are met:

- The member has demonstrated a response to therapy as evidenced by remaining ambulatory (e.g., able to walk with or without assistance, not wheelchair dependent).
- The member will not exceed a dose of 30 mg/kg once weekly.
- The requested medication will not be used concomitantly with viltolarsen.

Appendix²

Examples of DMD gene mutations (exon deletions) amenable to exon 53 skipping (not an all-inclusive list):

- Deletion of exon 52
- Deletion of exon 45-52
- Deletion of exon 47-52
- Deletion of exon 48-52
- Deletion of exon 49-52
- Deletion of exon 50-52

References

1. Vyondys 53 [package insert]. Cambridge, MA: Sarepta Therapeutics; June 2024.
2. Watanabe N, Nagata T, Satou Y, et al. NS-065/NCNP-01: An Antisense Oligonucleotide for Potential Treatment of Exon 53 Skipping in Duchenne Muscular Dystrophy. *Mol Ther Nucleic Acids*. 2018;13:442–449. doi:10.1016/j.omtn.2018.09.017
3. Vyondys 53TM (golodirsen) eDossier. AMCP Formulary Decisions. AmerisourceBergen Corporation. Conshohocken, PA. Available at: www.formularydecisions.com. Accessed April 15, 2020.