

Quantity Limit; Post Limit Prior Authorization Female Condoms

Products Referenced by this Document

Drugs that are listed in the following table include both brand and generic and all dosage forms and strengths unless otherwise stated. Over-the-counter (OTC) products are not included unless otherwise stated.

Brand Name
Female Condoms (OTC)

Indications and Uses

Female (internal) condoms are used for the prevention of pregnancy. Female condoms can also effectively protect against sexually transmitted infections (STIs) and human immunodeficiency virus (HIV) transmission.²⁻³ Specifically, the FC2 Female Condom is indicated for preventing pregnancy, HIV/AIDs and other sexually transmitted infections (STIs).¹

Initial Quantity Limit

Limits should accumulate across all drugs and strengths up to highest quantity listed depending on the order the claims are processed.

PLEASE NOTE: Since manufacturer package sizes may vary, it is the discretion of the dispensing pharmacy to fill quantities per package size up to these quantity limits. In such cases the filling limit and day supply may be less than what is indicated.

The duration of 25 days is used for a 30-day fill period and 75 days is used for a 90-day fill period to allow time for refill processing.

If the patient is requesting more than the initial quantity limit, the claim will reject with a message indicating that a prior authorization is required. The prior authorization criteria would then be applied to requests submitted for evaluation to the PA unit.

Reference number(s)
4702-HJ

Drug	1 Month Limit	3 Month Limit
Female Condoms	12 condoms / 25 days	36 condoms / 75 days

Coverage Criteria

Authorization may be granted for the requested product when the following criteria is met:

- The patient requires more than 12 condoms per month due to a clinical need (e.g., increased sexual activity, condom breakage, or other need to have multiple condoms available for each sexual encounter).

Quantity Limits Apply

24 condoms / 25 days or 72 condoms / 75 days

The duration of 25 days is used for a 30-day fill period and 75 days is used for a 90-day fill period to allow time for refill processing.

Duration of Approval (DOA)

- 4702-HJ: DOA: 12 months

References

- FC2 Female Condom Leaflet. Miami, FL: Veru Inc.; November 2021. Available at: <https://fc2.us.com/wp-content/uploads/2022/04/FC2-Female-Condom-Product-Leaflet-G0073-1.pdf> . Accessed February 19, 2026.
- Lexicomp Online, Patient Education – Disease and Procedure Online. Waltham, MA: UpToDate, Inc.; 2025. <https://online.lexi.com>. Accessed February 19, 2026.
- Colquitt CW, Martin TS. Contraceptive Methods: A Review of Nonbarrier and Barrier Products. Journal of Pharmacy Practice. 2017;30(1):130-135.
- Eisenberg ML, Shindel AW, Smith JF, et al. Socioeconomic, Anthropomorphic, and Demographic Predictors of Adult Sexual Activity in the United States: Data from the National Survey of Family Growth. J Sex Med. 2010;7(1):50-58.
- Twenge JM, Sherman RA, Wells BE. Declines in Sexual Frequency Among American Adults, 1989–2014. Arch Sex Behav. 2017;46(8):2389-2401.
- Ueda P, Mercer CH, Ghaznavi C, et al. Trends in Frequency of Sexual Activity and Number of Sexual Partners Among Adults Aged 18-44 Years in the US, 2000-2018. JAMA Network Open. 2020 June 12; 3(6): e203833.