

Specialty Guideline Management Xeomin

Products Referenced by this Document

Drugs that are listed in the following table include both brand and generic and all dosage forms and strengths unless otherwise stated. Over-the-counter (OTC) products are not included unless otherwise stated.

Brand Name	Generic Name
Xeomin	incobotulinumtoxinA

Indications

The indications below including FDA-approved indications and compendial uses are considered a covered benefit provided that all the approval criteria are met and the member has no exclusions to the prescribed therapy.

FDA-Approved Indications

- Treatment of chronic sialorrhea in patients 2 years of age and older
- Treatment of upper limb spasticity in adult patients
- Treatment of upper limb spasticity in pediatric patients 2 to 17 years of age, excluding spasticity caused by cerebral palsy
- Treatment of cervical dystonia in adult patients
- Treatment of blepharospasm in adult patients

All other indications are considered experimental/investigational and not medically necessary.

Prescriber Specialties

The medication must be prescribed by or in consultation with a provider specialized in treating the member's condition.

Xeomin SGM 2250-A P2024_R.docx

© 2024 CVS Caremark. All rights reserved.

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains prescription brand name drugs that are trademarks or registered trademarks of pharmaceutical manufacturers that are not affiliated with CVS Caremark.

Exclusions

Coverage will not be provided for cosmetic use.

Coverage Criteria

Chronic Sialorrhea (excessive salivation)

Authorization of 12 months may be granted for treatment of chronic sialorrhea (excessive salivation) when all of the following criteria are met:

- Member is 2 years of age or older
- Member has been refractory to pharmacotherapy (e.g., anticholinergics)

Cervical Dystonia

Authorization of 12 months may be granted for treatment of adults with cervical dystonia (e.g., torticollis) when all of the following criteria are met:

- Member is 18 years of age or older
- There is abnormal placement of the head with limited range of motion in the neck.

Blepharospasm

Authorization of 12 months may be granted for treatment blepharospasm when all of the following criteria are met:

- Member has a diagnosis of blepharospasm including benign essential blepharospasm or blepharospasm associated with dystonia
- Member is 18 years of age or older.

Upper Limb Spasticity

Authorization of 12 months may be granted for the treatment of upper limb spasticity when all of the following are met:

- Member has a diagnosis of upper limb spasticity either as a primary diagnosis or as a symptom of a condition causing limb spasticity
- Member meets one of the following criteria:
 - Member is 18 years of age or older
 - Member is 2 to 17 years of age and the spasticity is not caused by cerebral palsy.

Continuation of Therapy

All members (including new members) requesting authorization for continuation of therapy must meet all requirements in the coverage criteria and be experiencing benefit from therapy.

Xeomin SGM 2250-A P2024_R.docx

© 2024 CVS Caremark. All rights reserved.

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains prescription brand name drugs that are trademarks or registered trademarks of pharmaceutical manufacturers that are not affiliated with CVS Caremark.

References

- 1. Xeomin [package insert]. Raleigh, NC: Merz Pharmaceuticals LLC; July 2024.
- Restivo D, Panebianco M, Casabona A et al. Botulinum Toxin A for Sialorrhea Associated with Neurological Disorders: Evaluation of the Relationship between Effect of Treatment and the Number of Glands Treated. Toxins 2018;55:1-10.
- 3. Lakraj AA, Moghimi N, Jabbari B. Sialorrhea: Anatomy, Pathophysiology and Treatment with Emphasis on the Role of Botulinum Toxins. Toxins 2013, 5, 1010-1031
- 4. Glader L, Delsing C, Hughes A et al. Sialorrhea in cerebral palsy. American Academy for Cerebral Palsy and Developmental Medicine Care Pathways. https://www.aacpdm.org/publications/care-pathways/sialorrhea. Accessed August 13, 2024.
- 5. Garuti G, Rao F, Ribuffo V et al. Sialorrhea in patients with ALS: current treatment options. Degener Neurol Neuromuscul Dis. 2019; 9: 19–26.
- Simpson DM, Hallett, M, Ashman E, et al. Practice guideline update summary: Botulinum neurotoxin for the treatment of blepharospasm, cervical dystonia, adult spasticity, and headache. Report of the guideline development subcommittee of the American Academy of Neurology. Neurology. 2016;86:1818-1816.

Xeomin SGM 2250-A P2024 R.docx

© 2024 CVS Caremark. All rights reserved.

This document contains confidential and proprietary information of CVS Caremark and cannot be reproduced, distributed or printed without written permission from CVS Caremark. This document contains prescription brand name drugs that are trademarks or registered trademarks of pharmaceutical manufacturers that are not affiliated with CVS Caremark.